UNDERSEA BIOMEDICAL RESEARCH

Author and Subject Index to Volumes 1–10 (1974–1983)

UNDERSEA and HYPERBARIC MEDICAL SOCIETY, INC.
Bethesda, Maryland 20814
U.S.A.

ISSN 0093-5387

Undersea Biomedical Research
a publication of the
Undersea and Hyperbaric Medical Society, Inc.

Hugh D. Van Liew
Editor

Ann C. Barker
Associate Editor

Arthur J. Bachrach
Book Review Editor

Scope of the Journal

Undersea Biomedical Research accepts manuscripts for publication related to the areas of diving research and physiology, hyperbaric medicine and oxygen therapy, submarine medicine, naval medicine, and clinical research related to the above topics. Scientific papers must deal with significant and new research in an area related to biological, physical, or clinical phenomena related to the above environments.

The following types of papers are published: Reviews; Original Research (theoretical and experimental); Clinical Communications (which may include case reports if they include control observations of a revealing nature); Technical and Preliminary Notes; Letters to the Editor; and Book Reviews. Reports of major contributions or symposia will be considered and may even be published as supplements to regular issues. Authors are referred to INSTRUCTIONS FOR AUTHORS for more details on the categories of the papers. *Undersea Biomedical Research* is abstracted and/or indexed in *Chemical Abstract Service, Excerpta Medica, Oceanic Abstracts, Bioscience Information Service of Biological Abstracts, Psychological Abstracts, Current Contents,* and *Index Medicus.*

The Society endorses the principles embodied in the Declaration of Helsinki and expects that all investigations involving man reported in its journal will have been conducted in conformity with these principles. The Society expects that the "Guiding Principles in the Care and Use of Animals" will have been observed in all animal experimentation reported in its journal.

Undersea Biomedical Research (ISSN 0093-5387) is published bimonthly by the Undersea and Hyperbaric Medical Society, Inc.

Subscription price for a volume of about 400 pages is $70.00, including postage. Volumes will be published on an annual basis. Subscribers and UHMS Members in foreign countries may have the *Journal* mailed via airmail for an additional $25.00 per year. Address inquiries concerning subscriptions to: Undersea and Hyperbaric Medical Society, Inc., 9650 Rockville Pike, Bethesda, Maryland 20814. (301) 571-1818.

Single copies and back issues, when available, will be sold for $12.50, postpaid.

Issues lost in the mail will be replaced free when reserves are available. Notification must be received within 8 weeks.

Postmaster: Send address changes to *Undersea Biomedical Research*, 9650 Rockville Pike, Bethesda, MD 20814.

Change of address notification must be received at least 6 weeks prior to date of issue, with both the subscriber's old and new addresses given. Undelivered copies resulting from change of address will not be replaced.

Second class postage paid at Bethesda, MD 20814 and at additional mailing offices. U.S. Postal Service, Publication Number 320350.

© Undersea and Hyperbaric Medical Society, Inc., 1988. All rights reserved; however, the abstract appearing at the beginning of each article may be reproduced in any form, or translated, without specific permission and without an additional credit line.

UNDERSEA BIOMEDICAL RESEARCH

Author and Subject Index to Volumes 1–10 (1974–1983)

UNDERSEA and HYPERBARIC MEDICAL SOCIETY, INC.
Bethesda, Maryland 20814
1989

ISSN 0093-5387

PREFACE

The first issue of *Undersea Biomedical Research* was published in 1974. In the 10 volumes covered by this index, the journal published one volume per year, four issues per volume, and one supplement (to volume six)—336 scientific papers, reviews, or letters in all. Four distinguished scientists served as Editor-in-Chief: Richard G. Buckles, Peter B. Bennett, James Vorosmarti Jr., and Manny W. Radomski. A second index covering volumes 11 through 20 is planned for 1995.

The Undersea and Hyperbaric Medical Society is grateful to the following for their contributions to this index: The National Library of Medicine, for allowing its MEDLINE database to be used; Hugh D. Van Liew, present Editor-in-Chief of the journal, for overseeing the work; Michael J. Goydich, Nien-Tung Wen, Pei-Fen Sung, Carol Owen, and Philomena Mufalli for their exceptional efforts in the preparation; and the Department of Physiology, University at Buffalo, SUNY, for making space and resources available.

AUTHOR INDEX VOLUMES 1–10

Aanderud L. A system for pharmacological studies in small animals at high pressure. 1981; 8:69–74.

Aanderud L, Bakke OM. Pharmacokinetics of antipyrine, paracetamol, and morphine in rat at 71 ATA. 1983; 10:193–201.

Aanderud L, Ursin R, Larsen M. Effect of high pressure on EEG burst suppression dose of thiopental in rats. 1982; 9:255–261.

Abdallah SM, *see* Moselhi M. 1980; 7:149–157.

Ackerman MJ, Gruenau SP. System for the passive measurement and analysis of high pressure nervous syndrome tremor in animals. 1978; 5:301–307.

Ackerman MJ, Maitland G. Calculation of the relative speed of sound in a gas mixture. 1975; 2:305–310.

Ackerman MJ, Spencer JW. Brain stimulation in rats exposed to hyperbaric environments. 1976; 3:369–378.

Ackerman MJ, *see* Gruenau SP. 1978; 5:95–104.

Ackerman MJ, *see* Gruenau SP. 1978; 5:335–340.

Ackerman MJ, *see* Gilman SC. 1983; 10:89–93.

Ackles KN, *see* Fowler B. 1977; 4:81–87.

Ackles KN, *see* Fowler B. 1980; 7:35–46.

Adolfson J, *see* Hesser CM. 1978; 5:391–400.

Adolfson J, *see* Jones AW. 1979; 6:15–25.

Akers TK, *see* Ross BK. 1976; 3:283–299.

Akers TK, *see* Athey GR. 1978; 5:199–208.

Akers TK, *see* Geiger JD. 1983; 10:321–329.

Andersen JC, *see* Philp RB. 1979; 6:127–146.

Anderson FG Jr, Bay WW, Fife WP. Hyperbaric oxygen and corneal incision healing. 1978; 5:369–375.

Anthonisen NR, Utz G, Kryger MH, Urbanetti JS. Exercise tolerance at 4 and 6 ATA. 1976; 3:95–102.

Anthonisen NR, *see* Vorosmarti J. 1975; 2:1–10.

Arita H, *see* Matsuda M. 1978; 5:37–52.

Armon C, Kerem D. Interactions of thiopentone, light mineral oil, and pressure at frog sciatic nerve. 1981; 8:121–126.

Athey GR, Akers TK. Analysis of frog neuromuscular function at hyperbaric pressures. 1978; 5:199–208.

Attallah AA, *see* Walker BR. 1980; 7:113–126.

Azab YM, *see* Moselhi M. 1980; 7:149–157.

Bachrach AJ, *see* Thomas JR. 1974; 1:181–188.

Bachrach AJ, *see* Miller JW. 1976; 3:339–349.

Bachrach AJ, *see* Curley MD. 1982; 9:203–212.

Baddeley AD, *see* Davis FM. 1975; 2:195–213.

Bailey RC, *see* McCracken LE. 1979; 6:329–338.

Bailey RC, *see* Nicodemus HF. 1980; 7:1–9.

Baker DG, *see* Dressendorfer RH. 1976; 3:177–187.

Baker DG, *see* Wade CE. 1979; 6:313–318.

Bakke OM, *see* Aanderud L. 1983; 10:193–201.

Balldin UI. The effects of body position and a vasodilator on xenon^{133} elimination from human subcutaneous fat. 1976; 3:379–385.

Balldin UI, Linér MH. Xe^{133} elimination from human fat during negative- and positive-pressure breathing. 1976; 3:163–169.

Balldin UI, *see* Dahlbäck GO. 1983; 10:39–44.

Balzer RH, *see* Matthews WH. 1978; 5:341–354.

Banister EW, *see* Wade CE. 1979; 6:313–318.

Barnard EE, *see* Leitch DR. 1982; 9:113–129.

Barnard EEP, Weathersby PK. Blood cell changes in asymptomatic divers. 1981; 8:187–198.

Barnard EEP, *see* Vorosmarti J Jr. 1978; 5:243–252.

Barrow RE, *see* Hills BA. 1981; 8:131–136.

Bauer R, *see* Raymond L. 1974; 1:325–334.

Bay WW, *see* Anderson FG Jr. 1978; 5:369–375.

Baz A, Seireg A. Single-tissue modeling of decompression schedules. 1979; 6:217–229.

Baz A, *see* Kindwall EP. 1975; 2:285–297.

Beaver RW, *see* Brauer RW. 1974; 1:59–72.

Beaver RW, *see* Brauer RW. 1974; 1:239–250.

Beckman DL, Iams SG. Protection against high-pressure oxygen seizures by amino-oxyacetic acid. 1978; 5:253–257.

Beckman EL, *see* Wade CE. 1978; 5:137–147.

Behnke AR. The square-root principle in the calculation of one-stage (no-stop) decompression tables. 1979; 6:357–365.

Bell JI, *see* Gregg PJ. 1977; 4:75–79.

Bell RL, Borgwardt RE. The theory of high-altitude corrections to the U.S. Navy standard decompression tables. The cross corrections. 1976; 3:1–23.

Bennett PB, Blenkarn GD, Roby J, Youngblood D. Suppression of the high pressure nervous syndrome in human deep dives by He-N_2-O_2. 1974; 1:221–237.

Bennett PB, Coggin R, McLeod M. Effect of compression rate on use of trimix to ameliorate HPNS in man to 686 m (2250 ft). 1982; 9:335–351.

Bennett PB, Coggin R, Roby J. Control of HPNS in humans during rapid compression with trimix to 650 m (2132 ft). 1981; 8:85–100.

Bennett PB, Leventhal BL, Coggin R, Roby J, Racanska L. Lithium effects: protection against

nitrogen narcosis, potentiation of HPNS. 1980; 7:11–16.
Bennett PB, *see* Hunter WL Jr. 1974; 1:1–28.
Bennett PB, *see* Simon S. 1975; 2:299–303.
Bennett PB, *see* Cromer JA. 1976; 3:139–150.
Bennett PB, *see* Kaufmann PG. 1977; 4:391–402.
Bennett PB, *see* Cromer JA. 1977; 4:403–408.
Bennett PB, *see* Somayajulu RSN. 1978; 5:1–8.
Bennett PB, *see* Kaufmann PG. 1978; 5:63–70.
Bennett PB, *see* Parmentier JL. 1979; 6:75–91.
Bennett PB, *see* Philp RB. 1979; 6:127–146.
Bennett PB, *see* Cromer JA. 1979; 6:367–377.
Bennett PB, *see* Parmentier JL. 1981; 8:175–183.
Bennett PB, *see* Værnes R. 1982; 9:1–14.
Bennett PB, *see* Simpson DM. 1983; 10:107–114.
Berghage T, *see* Raymond LW. 1975; 2:51–67.
Berghage TE. Decompression sickness during saturation dives. 1976; 3:387–398.
Berghage TE, David TD, Dyson CV. Species differences in decompression. 1979; 6:1–13.
Berghage TE, Donelson C IV, Gomez JA. Decompression advantages of trimix. 1978; 5:233–242.
Berghage TE, Goehring GS, Donelson C IV. Pressure reduction limits for rats subjected to various time/pressure exposures. 1978; 5:323–334.
Berghage TE, Goehring GS, Dyson CV. Relationship between pressure-reduction magnitude and stop time during stage decompression. 1978; 5:119–128.
Berghage TE, Gomez JA, Roa CE, Everson TR. Pressure-reduction limits for rats following steady-state exposures between 6 and 60 ATA. 1976; 3:261–271.
Berghage TE, Lash LE, Braithwaite WR, Thalmann ED. Intentional tremor on a helium-oxygen chamber dive to 49.5 ATA. 1975; 2:215–222.
Berghage TE, McCracken TM. Use of oxygen for optimizing decompression. 1979; 6:231–239.
Berghage TE, McCraken TM. Equivalent air depth: fact or fiction. 1979; 6:379–384.
Berghage TE, Woolley JM, Keating LJ. The probabilistic nature of decompression sickness. 1974; 1:189–196.
Berghage TE, *see* Braithwaite WR. 1974; 1:309–323.
Berghage TE, *see* Brady JI Jr. 1976; 3:41–47.
Beyer DL, D'Aoust BG, Smith LS. Decompression-induced bubble formation in salmonids: comparison to gas bubble disease. 1976; 3:321–338.
Biersner RJ, Dembert ML, Browning MD. Validity of self-reported work experience among U.S. Navy divers. 1981; 8:33–39.
Biersner RJ, Hunter WL Jr. Comparison of diving experience factors between divers classified as positive and negative for bone cysts. 1983; 10:63–68.
Biersner RJ, *see* Hunter WL Jr. 1978; 5:25–36.
Biersner RJ, *see* Gilman SC. 1979; 6:303–307.
Biersner RJ, *see* Hunter WL Jr. 1982; 9:147–159.
Biersner RJ, *see* Gilman SC. 1982; 9:297–304.
Bishop B, *see* Philp RB. 1975; 2:233–249.
Bjørnø L, Kornum LO, Krag P, Nielsen CH, Paulev PE. A method for measurement of the bubble formation threshold in biological liquids. 1977; 4:97–102.
Blackburn PJ, *see* Willson JR. 1983; 10:11–15.
Blackwood FA, *see* Edmonds C. 1975; 2:311–314.
Blakemore WF, *see* Palmer AC. 1978; 5:275–286.
Blenkarn GD, *see* Bennett PB. 1974; 1:221–237.
Blessed WB, *see* Willson JR. 1983; 10:11–15.
Blosser J, *see* Raymond L. 1974; 1:91–98.
Boelkins JN, *see* Geiger JD. 1976; 3:131–137.
Boelkins JN, *see* Syftestad GT. 1976; 3:361–368.
Boelkins JN, *see* Kennedy J. 1977; 4:317–323.
Bolton ME. Scuba diving and fetal well-being: a survey of 208 women. 1980; 7:183–189.
Bondi KR, Miller DA, Knight DR, Harvey CA. Joint crepitation after chamber air dives to 188 fsw. 1977; 4:89–94.
Böni M, Schibli R, Nussberger P, Buhlmann AA. Diving at diminished atmospheric pressure: air decompression tables for different altitudes. 1976; 3:189–204.
Borgwardt RE, *see* Bell RL. 1976; 3:1–23.
Bove AA. The basis for drug therapy in decompression sickness. 1982; 9:91–111.
Bove AA, Clark JM, Simon AJ, Lambertsen CJ. Successful therapy of cerebral air embolism with hyperbaric oxygen at 2.8 ATA. 1982; 9:75–80.
Bove AA, Famiano FC, Levin LL, Carey RA, Pierce AL, Lynch PR. Alterations in long-bone regional blood flow associated with inadequate decompression in dogs. 1977; 4:169–182.
Bove AA, Hallenbeck JM, Elliott DH. Circulatory responses to venous air embolism and decompression sickness in dogs. 1974; 1:207–220.
Bove AA, Hardenbergh E, Miles JA Jr. Effect of heat and cold stress on inert gas (^{133}xenon) exchange in the rabbit. 1978; 5:149–158.
Bowers DE, *see* Gelderd JB. 1980; 7:305–320.
Boyer RD, *see* Friess SL. 1975; 2:35–41.
Boyer RD, *see* Friess SL. 1976; 3:85–94.
Bradley ME, Vorosmarti J. Hyperbaric arthralgia during helium-oxygen dives from 100 to 850 fsw. 1974; 1:151–167.
Bradley ME, *see* Vorosmarti J. 1975; 2:1–10.
Bradley ME, *see* Evans DE. 1977; 4:381–389.
Bradley ME, *see* Gilman SC. 1982; 9:297–304.
Brady JI Jr, Summitt JK, Berghage TE. An audiometric survey of Navy divers. 1976; 3:41–47.

Braithwaite W, *see* Raymond LW. 1975; 2:51–67.
Braithwaite WR, Berghage TE, Crothers JC. Postural equilibrium and vestibular response at 49.5 ATA. 1974; 1:309–323.
Braithwaite WR, *see* Berghage TE. 1975; 2:215–222.
Braithwaite WR, *see* Spaur WH. 1977; 4:183–198.
Braithwaite WR, *see* Messier AA. 1979; 6S:57–70.
Brattström P, Lindvall B, Lundgren CEG, Örnhagen H. Influence of body posture and ear clearing on body buoyancy during diving. 1975; 2:161–166.
Brauer RW, Goldman SM, Beaver RW, Sheehan ME. N_2, H_2, and N_2O antagonism of high pressure neurological syndrome in mice. 1974; 1:59–72.
Brauer RW, Hinson WM. Effects of variations in time pattern of nitrogen addition on development of HPNS in mice. 1983; 10:281–298.
Brauer RW, Hogan PM, Hugon M, MacDonald AG, Miller KW. Patterns of interaction of effects of light metabolically inert gases with those of hydrostatic pressure as such—a review. 1982; 9:353–396.
Brauer RW, Way RO, Jordan MR, Parrish DE, Beaver RW, Goldman SM. Neurologic effects of repeated exposures to high-pressure heliox atmospheres. 1974; 1:239–250.
Brewster E, Collins S, Funnell GR, Smith EB. The effect of high pressure on the hemolysis of red blood cells. 1976; 3:151–155.
Briner W, *see* Philp RB. 1979; 6:127–146.
Browning MD, *see* Biersner RJ. 1981; 8:33–39.
Brubakk AO, Tønjum S, Holand B, Peterson RE, Hamilton RW, Morild E, Onarheim J. Heat loss and tolerance time during cold exposure in heliox atmosphere at 16 ATA. 1982; 9:81–90.
Bruce DS, *see* Speck DF. 1978; 5:9–14.
Brumleve SJ, *see* Geiger JD. 1976; 3:131–137.
Buffum EJ, *see* Roloff MV. 1978; 5:15–23.
Bühlmann AA, *see* Böni M. 1976; 3:189–204.
Buss D, *see* Schaefer KE. 1979; 6S:81–90.
Butler BD, *see* Hills BA. 1978; 5:309–321.
Butler BD, *see* Hills BA. 1981; 8:163–170.
Butler FK Jr, Thalmann ED. Report of an isolated mid-frequency hearing loss following inner ear barotrauma. 1983; 10:131–134.
Butt WS, *see* Morrison JB. 1976; 3:217–234.
Butt WS, *see* Morrison JB. 1978; 5:179–187.
Butt WS, *see* Morrison JB. 1981; 8:209–217.
Cabarrou P, *see* Powell MR. 1983; 10:217–224.
Carey CR, *see* Schaefer KE. 1979; 6S:115–134.
Carey RA, *see* Bove AA. 1977; 4:169–182.
Carlson OG, Halverson BA, Triplett RG. Dentin permeability under hyperbaric conditions as a possible cause of barodontalgia. 1983; 10:23–28.
Cashman TM Jr, *see* Wade CE. 1978; 5:137–147.
Casillas E, Miller SE, Smith LS, D'Aoust BG. Changes in hemostatic parameters in fish following rapid decompression. 1975; 2:267–276.
Casillas E, Smith LS, D'Aoust BG. The response of fish blood cells, particularly thrombocytes, to decompression. 1976; 3:273–281.
Catron PW, Flynn ET Jr. Adjuvant drug therapy for decompression sickness: a review. 1982; 9:161–174.
Childs CM, *see* Norman JN. 1979; 6:209–216.
Choukroun ML, Guenard H, Varene P. Pulmonary capillary blood volume during immersion in water at different temperatures. 1983; 10:331–342.
Chryssanthou C, Graber B, Mendelson S, Goldstein G. Increased blood-brain barrier permeability to tetracycline in rabbits under dysbaric conditions. 1979; 6:319–328.
Chryssanthou C, Rubin L, Graber B. Amelioration of decompression sickness in mice by pretreatment with cyproheptadine. 1980; 7:321–329.
Chryssanthou C, Springer M, Lipschitz S. Blood-brain and blood-lung barrier alteration by dysbaric exposure. 1977; 4:117–129.
Chryssanthou CP. Dysbaric osteonecrosis in mice. 1976; 3:67–83.
Clark HG, *see* Vann RD. 1975; 2:185–194.
Clark JM, *see* Bove AA. 1982; 9:75–80.
Clarke JR, Rogers J. Barotrauma susceptibility in hamster lungs following elastase exposure. 1982; 9:21–35.
Claybaugh J, *see* Matsuda M. 1978; 5:37–52.
Claybaugh JR, *see* Matsuda M. 1975; 2:119–131.
Claybaugh JR, *see* Hong SK. 1977; 4:247–265.
Claybaugh JR, *see* Neuman TS. 1979; 6:291–302.
Clinton RL, *see* Piantadosi CA. 1979; 6:347–356.
Coggin R, *see* Bennett PB. 1980; 7:11–16.
Coggin R, *see* Bennett PB. 1981; 8:85–100.
Coggin R, *see* Bennett PB. 1982; 9:335–351.
Cohen EN, *see* Mastrangelo CJ. 1979; 6:47–53.
Cohen N, *see* Lynch PR. 1983; 10:1–10.
Collins JD, *see* Johnson CE. 1982; 9:59–74.
Collins S, *see* Brewster E. 1976; 3:151–155.
Collison HA, *see* Rodkey FL. 1974; 1:197–201.
Conkin J, Schuhmann RE. Decrease of ether induction time after exposure to dysbaric conditions in rat. 1983; 10:343–348.
Conley J, *see* Keck PE. 1980; 7:95–106.
Cromer JA, Bennett PB, Hunter WL Jr, Zinn D. Effect of helium/nitrogen/oxygen mixtures on HPNS convulsion threshold in euthermic rats. 1979; 6:367–377.
Cromer JA, Hunter WL Jr, Bennett PB. Alteration of high pressure nervous syndrome in

rats by alteration of colonic temperature. 1976; 3:139–150.
Cromer JA, Hunter WL Jr, Bennett PB. Effect of compression rate on HPNS convulsion threshold in the euthermic rat. 1977; 4:403–408.
Crookshank CA, *see* Marquis RE. 1978; 5:189–198.
Crosbie WA, Cumming G, Thomas IR. Acute oxygen toxicity in a saturation diver working in the North Sea. 1982; 9:315–319.
Crothers J, *see* Raymond L. 1974; 1:325–334.
Crothers J, *see* Raymond LW. 1975; 2:51–67.
Crothers JC, *see* Braithwaite WR. 1974; 1:309–323.
Crothers JC, *see* Spaur WH. 1977; 4:183–198.
Cumming G, *see* Crosbie WA. 1982; 9:315–319.
Curley MD, Bachrach AJ. Operator performance in the one-atmosphere diving system JIM in water at 20°C and 30°C. 1982; 9:203–212.
D'Addario AP, *see* Roloff MV. 1978; 5:15–23.
D'Aoust BG, Smith KH, Swanson HT, White R, Stayton L, Moore J. Prolonged bubble production by transient isobaric counter-equilibration of helium against nitrogen. 1979; 6:109–125.
D'Aoust BG, Stayton L, Smith LS. Separation of basic parameters of decompression using fingerling salmon. 1980; 7:199–209.
D'Aoust BG, White R, Seibold H. Direct measurement of total dissolved gas pressure. 1975; 2:141–149.
D'Aoust BG, White R, Wells JM, Olsen DA. Coral-algal associations: capacity for producing and sustaining elevated oxygen tensions in situ. 1976; 3:35–40.
D'Aoust BG, *see* Casillas E. 1975; 2:267–276.
D'Aoust BG, *see* Casillas E. 1976; 3:273–281.
D'Aoust BG, *see* Beyer DL. 1976; 3:321–338.
D'Arrigo JS, Mano Y. Bubble production in agarose gels subjected to different decompression schedules. 1979; 6:93–98.
Dahlbäck GO. Influence of intrathoracic blood pooling on pulmonary air-trapping during immersion. 1975; 2:133–140.
Dahlbäck GO, Balldin UI. Positive-pressure oxygen breathing and pulmonary atelectasis during immersion. 1983; 10:39–44.
Dahlbäck GO, Jönsson E, Linér MH. Influence of hydrostatic compression of the chest and intrathoracic blood pooling on static lung mechanics during head-out immersion. 1978; 5:71–85.
Daily OP, Gillmore JD. Alterations in mouse fecal flora associated with hyperbaric stress. 1981; 8:23–31.
Damber JE, *see* Röckert HO. 1978; 5:355–361.
Daniels S, Paton WDM, Smith EB. Ultrasonic imaging system for the study of decompression-induced gas bubbles. 1979; 6:197–207.
David TD, *see* Berghage TE. 1979; 6:1–13.
Davies DM, Morris JE. Carbon dioxide and vitamin D effects on calcium metabolism in nuclear submariners: a review. 1979; 6S:71–80.
Davis FM, Baddeley AD, Hancock TR. Diver performance: the effect of cold. 1975; 2:195–213.
Dejours P, *see* Imbert G. 1982; 9:305–314.
Dembert ML, Mooney LW, Ostfeld AM, Lacroix PG. Multiphasic health profiles of Navy divers. 1983; 10:45–61.
Dembert ML, *see* Biersner RJ. 1981; 8:33–39.
Diercks KJ, Eisman PT. Hematologic changes after daily asymptomatic dives. 1977; 4:325–331.
Dodd DE, *see* Nolan RJ. 1978; 5:87–93.
Donelson C IV, *see* Berghage TE. 1978; 5:233–242.
Donelson C IV, *see* Berghage TE. 1978; 5:323–334.
Doubt TJ, Evans DE. Hyperbaric exposures alter cardiac excitation-contraction coupling. 1982; 9:131–145.
Doubt TJ, Hogan PM. Combined effect of beating rate and hydrostatic pressure on excitation in cardiac muscle. 1982; 9:241–253.
Doubt TJ, Hogan PM. Combined influence of temperature and hydrostatic pressure on cardiac conduction. 1980; 7:211–223.
Doubt TJ, *see* Hogan PM. 1981; 8:51–58.
Dougherty JH Jr, *see* Schaefer KE. 1979; 6S:115–134.
Douglas WHJ, Schaefer KE, Messier AA, Pasquale SM. Proliferation of pneumocyte II cells in prolonged exposure to 1% CO_2. 1979; 6S:135–142.
Douglas WHJ, *see* Schaefer KE. 1979; 6S:155–161.
Dressendorfer RH, Hong SK, Morlock JF, Pegg J, Respicio B, Smith RM, Yelverton C. Hana Kai II: a 17-day dry saturation dive at 18.6 ATA. V. Maximal oxygen uptake. 1977; 4:283–296.
Dressendorfer RH, Morlock JF, Baker DG, Hong SK. Effects of head-out water immersion on cardiorespiratory responses to maximal cycling exercise. 1976; 3:177–187.
Dressendorfer RH, *see* Morlock JF. 1974; 1:335–342.
Dressendorfer RH, *see* Webb P. 1977; 4:221–246.
Dressendorfer RH, *see* Smith RM. 1977; 4:267–281.
Dunford R, Hayward J. Venous gas bubble production following cold stress during a no-decompression dive. 1981; 8:41–49.
Durant RC, *see* Friess SL. 1974; 1:291–301.
Durant RC, *see* Friess SL. 1975; 2:35–41.
Dwyer HJ, *see* Smith RM. 1977; 4:267–281.

Dwyer J. Estimation of oxygen uptake from heart rate response to undersea work. 1983; 10:77–87.
Dwyer J, Saltzman HA, O'Bryan R. Maximal physical-work capacity of man at 43.4 ATA. 1977; 4:359–372.
Dwyer J, *see* Webb P. 1977; 4:221–246.
Dyson CV, *see* Berghage TE. 1978; 5:119–128.
Dyson CV, *see* Berghage TE. 1979; 6:1–13.
Eastham EJ, *see* Gregg PJ. 1977; 4:75–79.
Eastman D, *see* Giry PB. 1977; 4:147–157.
Edmonds C, Blackwood FA. Disorientation with middle ear barotrauma of descent. 1975; 2:311–314.
Eilender E, *see* Sherman D. 1980; 7:61–74.
Eisman PT, *see* Diercks KJ. 1977; 4:325–331.
Ellertsen B, *see* Værnes R. 1982; 9:1–14.
Ellertsen B, *see* Værnes R. 1983; 10:169–192.
Elliott DH, *see* Bove AA. 1974; 1:207–220.
Evans DE, Hardenbergh E, Raymond LW, Bradley ME. Effect of helium breathing on cardiac arrhythmias induced by coronary occlusion and digitalis in the cat. 1977; 4:381–389.
Evans DE, *see* Doubt TJ. 1982; 9:131–145.
Everson TR, *see* Berghage TE. 1976; 3:261–271.
Faden A, *see* Gilman SC. 1983; 10:89–93.
Fagraeus L, *see* Hesser CM. 1978; 5:391–400.
Faiman MD, *see* Nolan RJ. 1978; 5:87–93.
Famiano FC, *see* Bove AA. 1977; 4:169–182.
Farhi LE, *see* Plewes JL. 1983; 10:123–129.
Farmer JC Jr, *see* Kaufmann PG. 1977; 4:391–402.
Farmer JC Jr, *see* Kaufmann PG. 1978; 5:63–70.
Feinstein R, *see* Gooden BA. 1975; 2:11–19.
Feinstein SH. The accuracy of diver sound localization by pointing. 1975; 2:173–184.
Fields GN, *see* Philp RB. 1979; 6:127–146.
Fife WP, Simmang C, Kitzman JV. Susceptibility of fetal sheep to acute decompression sickness. 1978; 5:287–292.
Fife WP, *see* Anderson FG Jr. 1978; 5:369–375.
Fife WP, *see* Gelderd JB. 1980; 7:305–320.
Finch ED, Kiesow LA. Pressure, anesthetics, and membrane structure: a spin–probe study. 1979; 6:41–45.
Fischer GJ, *see* Gilman SC. 1979; 6:303–307.
Fish E, Shankaran R, Hsia JC. High pressure neurological syndrome: antagonistic effects of helium pressure and inhalation anesthetics on the dopamine–sensitive cyclic AMP response. 1979; 6:189–196.
Flook V, *see* Wilcock SE. 1980; 7:225–239.
Florio JT, *see* Morrison JB. 1976; 3:217–234.
Florio JT, *see* Morrison JB. 1978; 5:179–187.
Florio JT, *see* Morrison JB. 1981; 8:209–217.
Flynn ET Jr, *see* Catron PW. 1982; 9:161–174.
Flynn ET, *see* Spaur WH. 1978; 5:159–177.
Fowler B, Ackles KN. Does the evoked response measure inert gas narcosis?. 1977; 4:81–87.
Fowler B, White PL, Wright GR, Ackles KN. Narcotic effects of nitrous oxide and compressed air on memory and auditory perception. 1980; 7:35–46.
Francey I, *see* Philp RB. 1975; 2:233–249.
Francey I, *see* Philp RB. 1975; 2:251–265.
Francey I, *see* Philp RB. 1979; 6:127–146.
Frank H, *see* Löllgen H. 1976; 3:49–56.
Fraser WD, *see* Venter RD. 1983; 10:225–240.
Frattali V, Quesada M, Robertson R. Supportive evidence for altered platelet function in the dived rat. 1975; 2:167–172.
Frattali V, Quesada M, Shackelford A, Robertson R. Effects of thiamin status and diving on enzyme and metabolite levels in the rat. 1975; 2:89–100.
Frattali V, *see* Webb P. 1977; 4:221–246.
Frattali V, *see* Hong SK. 1977; 4:247–265.
Freeman D, *see* Philp RB. 1975; 2:233–249.
Freeman D, *see* Philp RB. 1975; 2:251–265.
Freitag M, Hamilton RW Jr. Comparison of U.S. Navy air decompression tables by gas-loading analysis. 1974; 1:175–179.
Frey MAB, Kenney RA. Changes in left ventricular activity during apnea and face immersion. 1977; 4:27–37.
Friess SL, Durant RC. Functional responses of diaphragm muscle in the rat to varying P_{CO_2} levels and helium content in hyperbaric atmospheres. 1974; 1:291–301.
Friess SL, Durant RC, Hudak WV, Boyer RD. Effects of moderate pressure He-O_2 saturation and response modifiers on neuromuscular function. 1975; 2:35–41.
Friess SL, Hudak WV, Boyer RD. Changes in rat respiratory behavior under varying P_{CO_2} levels and argon content in hyperbaric Ar-O_2-CO_2 atmospheres. 1976; 3:85–94.
Fructus X, *see* Norman JN. 1979; 6:209–216.
Funnell GR, *see* Brewster E. 1976; 3:151–155.
Fust HD, *see* Powell MR. 1983; 10:217–224.
Gait D, Miller KW, Paton WD, Smith EB, Welch B. The redistribution of vascular bubbles in multiple dives. 1975; 2:42–50.
Gardette B. Correlation between decompression sickness and circulating bubbles in 232 divers. 1979; 6:99–107.
Gardette-Chauffour MC, *see* Rostain JC. 1980; 7:77–94.
Gauthier GM. Alterations of the human vestibulo-ocular reflex in a simulated dive at 62 ATA. 1976; 3:103–112.
Geiger JD, Akers TK, Parmar SS. Effects of helium-oxygen and hyperbaric helium-oxygen environment on drug-metabolizing enzyme activity in rat liver. 1983; 10:321–329.
Geiger JD, Brumleve SJ, Boelkins JN, Parmar SS. Effects of a hyperbaric environment on

respiratory and monoamine oxidase activities. 1976; 3:131–137.
Gelderd JB, Welch DW, Fife WP, Bowers DE. Therapeutic effects of hyperbaric oxygen and dimethyl sulfoxide following spinal cord transections in rats. 1980; 7:305–320.
Gelfand R, *see* Rothman HB. 1980; 7:265–275.
Ghaphery JL. In-water resuscitation [letter]. 1981; 8:63.
Gilbert DL, *see* Henderson JV. 1977; 4:19–26.
Gillmore JD, Walker RI. Evidence of bacteremia and endotoxemia in mice undergoing hyperbaric stress. 1977; 4:67–73.
Gillmore JD, *see* Daily OP. 1981; 8:23–31.
Gilman SC, Ackerman MJ, Hallenbeck JM, Faden A. Failure of naloxone or beta-endorphin to affect pressure-induced tremor in guinea pig. 1983; 10:89–93.
Gilman SC, Fischer GJ, Biersner RJ, Thornton RD, Miller DA. Human parotid gland alpha-amylase secretion as a function of chronic hyperbaric exposure. 1979; 6:303–307.
Gilman SC, Greene KM, Bradley ME, Biersner RJ. Fetal development: effects of simulated diving and hyperbaric oxygen treatment. 1982; 9:297–304.
Giry PB, Porlier G, Eastman D, Radomski MW. Dive-induced modifications in platelet kinetics in rats. 1977; 4:147–157.
Goad RF, *see* Neuman TS. 1979; 6:291–302.
Goad RF, *see* Nichols G. 1981; 8:239–243.
Goad RF, *see* Pearson RR. 1982; 9:283–296.
Goad RF, *see* Nichols G. 1983; 10:115–122.
Goehring GS, *see* Berghage TE. 1978; 5:119–128.
Goehring GS, *see* Berghage TE. 1978; 5:323–334.
Gohman PA, *see* Schaefer KE. 1979; 6S:155–161.
Goldinger JM, Kang BS, Morin RA, Paganelli CV, Hong SK. Method for separation of cells and suspending medium at high pressure. 1981; 8:59–62.
Goldman SM, *see* Brauer RW. 1974; 1:59–72.
Goldman SM, *see* Brauer RW. 1974; 1:239–250.
Goldstein G, *see* Chryssanthou C. 1979; 6:319–328.
Gomez JA, *see* Berghage TE. 1976; 3:261–271.
Gomez JA, *see* Berghage TE. 1978; 5:233–242.
Gooden BA, Feinstein R, Skutt HR. Heart rate responses of scuba divers via ultrasonic telemetry. 1975; 2:11–19.
Goodwin MH, *see* Grismer JT. 1983; 10:311–320.
Gottlieb SF, *see* Keck PE. 1980; 7:95–106.
Gottlieb SF, *see* Longmuir IS. 1980; 7:161–170.
Graber B, *see* Chryssanthou C. 1979; 6:319–328.
Graber B, *see* Chryssanthou C. 1980; 7:321–329.
Greene KM, Lambertsen CJ. Nature and treatment of decompression sickness occurring after deep excursion dives. 1980; 7:127–139.
Greene KM, *see* Gilman SC. 1982; 9:297–304.
Gregg PJ, Eastham EJ, Bell JI, Walder DN. Serum ferritin and dysbaric osteonecrosis. 1977; 4:75–79.
Grimstad J, *see* Vann RD. 1980; 7:107–112.
Grismer JT, Goodwin MH. Field study of ventilation in volunteer scuba divers during head-out immersion. 1983; 10:311–320.
Gross PM, Terjung RL, Lohman TG. Left-ventricular performance in man during breath-holding and simulated diving. 1976; 3:351–360.
Gruenau SP, Ackerman MJ. Quantification of high pressure nervous syndrome (HPNS) tremor in the guinea pig. 1978; 5:95–104.
Gruenau SP, Ackerman MJ. Tremor power spectra in guinea pigs: effect of intermediate holding pressure. 1978; 5:335–340.
Gruenau SP, *see* Ackerman MJ. 1978; 5:301–307.
Gruenau SP, *see* Rattner BA. 1979; 6:155–166.
Guenard H, *see* Choukroun ML. 1983; 10:331–342.
Guillerm R, Radziszewski E. Effects on man of 30-day exposure to a P_{CO_2} of 14 torr (2%): application to exposure limits. 1979; 6S:91–114.
Hall D, *see* Neuman TS. 1979; 6:291–302.
Hall DA, *see* Neuman TS. 1976; 3:121–130.
Hall DA, *see* Townsend RE. 1978; 5:109–117.
Hallenbeck JM, *see* Bove AA. 1974; 1:207–220.
Hallenbeck JM, *see* Gilman SC. 1983; 10:89–93.
Halverson BA, *see* Carlson OG. 1983; 10:23–28.
Hamilton RW Jr, *see* Freitag M. 1974; 1:175–179.
Hamilton RW, *see* Brubakk AO. 1982; 9:81–90.
Hammerborg D, *see* Værnes R. 1982; 9:1–14.
Hammerborg D, *see* Værnes R. 1983; 10:169–192.
Hancock TR, *see* Davis FM. 1975; 2:195–213.
Hanson R de G, *see* Vorosmarti J Jr. 1978; 5:243–252.
Hardenbergh E, Miles JA Jr, Thorne DE. Skin color in hyperbaric oxygen. 1975; 2:68–69.
Hardenbergh E, *see* Evans DE. 1977; 4:381–389.
Hardenbergh E, *see* Bove AA. 1978; 5:149–158.
Harris DJ. Observations on the knee-jerk reflex in oxygen-helium at 31 and 43 bars. 1979; 6:55–74.
Harris DJ, *see* Simpson DM. 1983; 10:107–114.
Hart JL. Effects of hyperbaric helium-oxygen on the antipyretic actions of aspirin and acetaminophen in rats. 1978; 5:53–62.
Hart JL. The antipyretic effects of hyperbaric air and salicylate on rats. 1974; 1:83–89.
Hart JL, *see* Nicholas TE. 1974; 1:271–280.
Hart JL, *see* Nicholas TE. 1975; 2:28–34.
Harvey CA, *see* Bondi KR. 1977; 4:89–94.
Harvey CA, *see* Hunter WL Jr. 1978; 5:25–36.
Harvey CA, *see* Tappan DV. 1979; 6S:191–199.
Haus E, *see* Schaefer KE. 1979; 6S:81–90.
Hayashi E, *see* Smith RM. 1977; 4:267–281.
Hayashi EM, *see* O'Reilly JP. 1977; 4:307–314.

Hayashi EM, *see* Wade CE. 1978; 5:137–147.
Hayashi K, *see* Kawashima M. 1977; 4:409–417.
Hayes PA, Wissler EH, Påsche A. Mean skin temperature in hyperbaric oxyhelium—its measurement and limitations. 1983; 10:29–37.
Haynes JH, Kylstra JA. Estimate of maximum expiratory flow based on the equal pressure point concept and Weibel's lung model. 1974; 1:45–58.
Hayward J, *see* Dunford R. 1981; 8:41–49.
Hempel FG, *see* Unger H. 1980; 7:27–34.
Henderson JV, Lowenhaupt MT, Gilbert DL. Helium pressure alteration of function in squid giant synapse. 1977; 4:19–26.
Hennessy TR. Converting standard air decompression tables for no-stop diving from altitude or habitat. 1977; 4:39–53.
Hesser CM, Fagraeus L, Adolfson J. Roles of nitrogen, oxygen, and carbon dioxide in compressed-air narcosis. 1978; 5:391–400.
Hesser CM, *see* Jones AW. 1979; 6:15–25.
Heyder E, *see* Messier AA. 1979; 6S:57–70.
Heyder E, *see* Tappan DV. 1979; 6S:191–199.
Heyder E, *see* Tappan DV. 1979; 6S:201–215.
Hickey DD, Lundgren CEG, Påsche AJ. Influence of exercise on maximal voluntary ventilation and forced expiratory flow at depth. 1983; 10:241–254.
Hickey DD, Marky DC, Smith RJ. Gas inertia and ventilatory measurements under pressure: methodological considerations. 1983; 10:273–279.
Hicks JW Jr, *see* Hollien H. 1977; 4:199–207.
Hildwein G, *see* Imbert G. 1982; 9:305–314.
Hills BA. Basic issues in prescribing preventive decompression [letter]. 1982; 9:277–280.
Hills BA, Barrow RE. Methods for liquid filling inflated lungs and measuring any retained gas. 1981; 8:131–136.
Hills BA, Butler BD. Size distribution of intravascular air emboli produced by decompression. 1981; 8:163–170.
Hills BA, Butler BD. The kangaroo rat as a model for type I decompression sickness. 1978; 5:309–321.
Hills BA, James PB. Spinal decompression sickness: mechanical studies and a model. 1982; 9:185–201.
Hills BA, Kanani B, James PB. Velocity of ultrasound as an indicator of bubble content. 1983; 10:17–22.
Hilton JG, Wells CH. Effects of nicotinic acid on plasma volume loss of experimental dysbarism. 1976; 3:157–161.
Hinson WM, *see* Brauer RW. 1983; 10:281–298.
Hlastala MP, Meyer M, Riepl G, Scheid P. Solubility of helium, argon, and sulfur hexafluoride in human blood measured by mass spectrometry. 1980; 7:297–304.
Ho S, *see* Venter RD. 1983; 10:225–240.
Hogan PM, Örnhagen HC, Doubt TJ, Laraway BS, Morin RA, Zaharkin J. Hyperbaric chamber for evaluating hydrostatic pressure effects on tissues and cells. 1981; 8:51–58.
Hogan PM, *see* Örnhagen HC. 1977; 4:347–358.
Hogan PM, *see* Doubt TJ. 1980; 7:211–223.
Hogan PM, *see* Doubt TJ. 1982; 9:241–253.
Hogan PM, *see* Brauer RW. 1982; 9:353–396.
Holand B, *see* Brubakk AO. 1982; 9:81–90.
Hollien H, Shearer W, Hicks JW Jr. Voice fundamental frequency levels of divers in helium-oxygen speaking environments. 1977; 4:199–207.
Hollien H, *see* Rothman HB. 1980; 7:265–275.
Homer LD, *see* Weathersby PK. 1980; 7:277–296.
Hong SK, Claybaugh JR, Frattali V, Johnson R, Kurata F, Matsuda M, McDonough AA, Paganelli CV, Smith RM, Webb P. Hana Kai II: a 17-day dry saturation dive at 18.6 ATA. III. Body fluid balance. 1977; 4:247–265.
Hong SK, Smith RM, Webb P, Matsuda M. Hana Kai II: a 17-day dry saturation dive at 18.6 ATA. I. Objectives, design, and scope. 1977; 4:211–220.
Hong SK, *see* Matsuda M. 1975; 2:119–131.
Hong SK, *see* Dressendorfer RH. 1976; 3:177–187.
Hong SK, *see* Webb P. 1977; 4:221–246.
Hong SK, *see* Smith RM. 1977; 4:267–281.
Hong SK, *see* Dressendorfer RH. 1977; 4:283–296.
Hong SK, *see* Matsuda M. 1978; 5:37–52.
Hong SK, *see* Neuman TS. 1979; 6:291–302.
Hong SK, *see* Walker BR. 1980; 7:113–126.
Hong SK, *see* Goldinger JM. 1981; 8:59–62.
Hong SK, *see* Walker BR. 1981; 8:137–145.
Hong SK, *see* Park YS. 1983; 10:203–215.
Hong SY, *see* Park YS. 1983; 10:203–215.
Horvath SM, *see* Rochelle RD. 1978; 5:377–390.
Hsia JC, *see* Fish E. 1979; 6:189–196.
Hudak WV, *see* Friess SL. 1975; 2:35–41.
Hudak WV, *see* Friess SL. 1976; 3:85–94.
Hugon M, *see* Seki K. 1976; 3:235–247.
Hugon M, *see* Brauer RW. 1982; 9:353–396.
Hunter WL Jr, Bennett PB. The causes, mechanisms and prevention of the high pressure nervous syndrome. 1974; 1:1–28.
Hunter WL Jr, Biersner RJ. Comparison of long-bone radiographs between U.S. Navy divers and matched controls. 1982; 9:147–159.
Hunter WL Jr, Biersner RJ, Sphar RL, Harvey CA. Aseptic bone necrosis among U.S. Navy divers: survey of 934 nonrandomly selected personnel. 1978; 5:25–36.

Hunter WL Jr, *see* Cromer JA. 1976; 3:139–150.
Hunter WL Jr, *see* Cromer JA. 1977; 4:403–408.
Hunter WL Jr, *see* Cromer JA. 1979; 6:367–377.
Hunter WL Jr, *see* Biersner RJ. 1983; 10:63–68.
Iams SG, *see* Beckman DL. 1978; 5:253–257.
Ide RS, *see* Small A. 1983; 10:157–168.
Imbert G, Dejours P, Hildwein G. The compressibility and the capacitance coefficient of helium-oxygen atmospheres. 1982; 9:305–314.
Ito A, *see* Matsuda M. 1975; 2:101–118.
Ivarsson A, Lundgren CEG, Tjernström Ö, Uddman R, Örnhagen H. Eustachian tubal function during immersion. 1977; 4:9–18.
Jacey MJ, *see* Tappan DV. 1979; 6S:191–199.
Jacey MJ, *see* Tappan DV. 1979; 6S:201–215.
Jackson RM. Re: Acute oxygen toxicity in a saturation diver working in the North Sea [letter]. 1983; 10:265–266.
James PB, *see* Hills BA. 1982; 9:185–201.
James PB, *see* Hills BA. 1983; 10:17–22.
Janson PO, *see* Röckert HO. 1978; 5:355–361.
Jennings RD, *see* Jones AW. 1979; 6:15–25.
Johnson CE, Collins JD, Piantadosi CA. Equations for predicting diver regional skin temperatures as a function of mean skin temperature. 1982; 9:59–74.
Johnson R, *see* Hong SK. 1977; 4:247–265.
Johnson RG, Nicholas TE. Phospholipid synthesis in isolated perfused lungs of rats made tolerant to 100% oxygen. 1981; 8:13–21.
Johnson WR, *see* Venter RD. 1983; 10:225–240.
Johnsonbaugh R, *see* Raymond L. 1974; 1:325–334.
Johnsonbaugh RE, *see* Raymond L. 1974; 1:91–98.
Jones AW, Jennings RD, Adolfson J, Hesser CM. Combined effects of ethanol and hyperbaric air on body sway and heart rate in man. 1979; 6:15–25.
Jones C, *see* Norman JN. 1979; 6:209–216.
Jönsson E, *see* Dahlback GO. 1978; 5:71–85.
Jordan MR, *see* Brauer RW. 1974; 1:239–250.
Kaakkola S, Lehtosalo J, Laitinen LA. Changes in blood-brain barrier permeability to drugs in decompressed rats. 1982; 9:233–240.
Kanani B, *see* Hills BA. 1983; 10:17–22.
Kang BS, *see* Goldinger JM. 1981; 8:59–62.
Kang DH, *see* Park YS. 1983; 10:203–215.
Kantola I, *see* Lehto VP. 1981; 8:101–111.
Kanwisher J, Lawson K, Strauss R. Acoustic telemetry from human divers. 1974; 1:99–109.
Kato EN, *see* Lin YC. 1974; 1:281–290.
Katz Y, *see* Simon S. 1975; 2:299–303.
Kaufmann PG, Bennett PB, Farmer JC Jr. Cerebellar and cerebral electroencephalogram during the high pressure nervous syndrome (HPNS) in rats. 1977; 4:391–402.
Kaufmann PG, Bennett PB, Farmer JC Jr. Effect of cerebellar ablation on the high pressure nervous syndrome in rats. 1978; 5:63–70.
Kaufmann PG, *see* Unger H. 1980; 7:27–34.
Kawashima M, Hayashi K, Torisu T, Kitano M. Histopathology of the early stage of osteonecrosis in divers. 1977; 4:409–417.
Keating LJ, *see* Berghage TE. 1974; 1:189–196.
Keck PE, Gottlieb SF, Conley J. Interaction of increased pressures of oxygen and sulfonamides on the in vitro and in vivo growth of pathogenic bacteria. 1980; 7:95–106.
Kendig JJ, *see* Mastrangelo CJ. 1979; 6:47–53.
Kennedy J, Boelkins JN, Matthies DL. Effect of long-term hyperbaric He-O_2 exposure on the weight and histology of endocrine organs in growing rats. 1977; 4:317–323.
Kennedy RS. General history of vestibular disorders in diving. 1974; 1:73–81.
Kenney RA, *see* Frey MAB. 1977; 4:27–37.
Kerem D, Melamed Y, Moran A. Alveolar P_{CO_2} during rest and exercise in divers and non-divers breathing O_2 at 1 ATA. 1980; 7:17–26.
Kerem D, *see* Sherman D. 1980; 7:61–74.
Kerem D, *see* Armon C. 1981; 8:121–126.
Kerem DH, Kylstra JA, Saltzman HA. Respiratory flow rates in the sea lion. 1975; 2:20–27.
Kerr CM, *see* Schaefer KE. 1979; 6S:81–90.
Ketch RB, *see* Wissler EH. 1982; 9:213–231.
Kiesow LA. Hyperbaric inert gases and the hemoglobin-oxygen equilibrium in red blood cells. 1974; 1:29–43.
Kiesow LA, *see* Finch ED. 1979; 6:41–45.
Kim PA, *see* Nicholas TE. 1974; 1:271–280.
Kim PA, *see* Nicholas TE. 1975; 2:28–34.
Kindwall EP. Measurement of helium elimination from man during decompression breathing air or oxygen. 1975; 2:277–284.
Kindwall EP, Baz A, Lightfoot EN, Lanphier EH, Seireg A. Nitrogen elimination in man during decompression. 1975; 2:285–297.
Kinney JA, *see* Luria SM. 1974; 1:371–378.
Kinney JA, *see* McKay CL. 1977; 4:131–145.
Kinney JAS, Luria SM, McKay CL, Ryan AP. Vision of submariners. 1979; 6S:163–173.
Kinney JAS, McKay CL, Luria SM. Visual evoked responses and EEG's of 16 divers breathing air at 7 ATA. 1977; 4:55–66.
Kirigaya N, *see* Matsuda M. 1975; 2:101–118.
Kitano M, *see* Kawashima M. 1977; 4:409–417.
Kitzman JV, *see* Fife WP. 1978; 5:287–292.
Knight DR, *see* Bondi KR. 1977; 4:89–94.
Knott M, *see* Raymond L. 1974; 1:325–334.
Knott MM, *see* Spaur WH. 1977; 4:183–198.
Kobayashi K, *see* Takano T. 1980; 7:191–197.
Konda N, *see* Shiraki K. 1982; 9:321–333.

Konda N, *see* Shiraki K. 1983; 10:349–358.
Koppenhagen K, *see* Löllgen H. 1976; 3:49–56.
Kornum LO, *see* Bjørnø L. 1977; 4:97–102.
Krag P, *see* Bjørnø L. 1977; 4:97–102.
Krasney JA, *see* Walker BR. 1980; 7:113–126.
Krasney JA, *see* Walker BR. 1981; 8:137–145.
Krekeler H, *see* Löllgen H. 1976; 3:49–56.
Kryger MH, *see* Anthonisen NR. 1976; 3:95–102.
Kuehn LA, Zumrick J. Thermal measurements on divers in hyperbaric helium-oxygen environments. 1978; 5:213–231.
Kurata F, *see* Hong SK. 1977; 4:247–265.
Kurata FK, *see* Matsuda M. 1975; 2:101–118.
Kurata FK, *see* Matsuda M. 1975; 2:119–131.
Kurata FK, *see* O'Reilly JP. 1977; 4:307–314.
Kylstra JA. Liquid breathing. 1974; 1:259–269.
Kylstra JA, *see* Haynes JH. 1974; 1:45–58.
Kylstra JA, *see* Kerem DH. 1975; 2:20–27.
Kylstra JA, *see* Matthews WH. 1976; 3:113–120.
Kylstra JA, *see* Matthews WH. 1978; 5:341–354.
Lacroix PG, *see* Dembert ML. 1983; 10:45–61.
Laitinen LA, *see* Lehto VP. 1981; 8:101–111.
Laitinen LA, *see* Kaakkola S. 1982; 9:233–240.
Lambertsen CJ, *see* Greene KM. 1980; 7:127–139.
Lambertsen CJ, *see* Rothman HB. 1980; 7:265–275.
Lambertsen CJ, *see* Bove AA. 1982; 9:75–80.
Landolt JP, *see* Venter RD. 1983; 10:225–240.
Langworthy HC, *see* Raymond L. 1974; 1:91–98.
Langworthy HC, *see* Raymond LW. 1975; 2:51–67.
Langworthy HC, *see* Manalaysay AR. 1983; 10:95–106.
Lanphier EH, *see* Kindwall EP. 1975; 2:285–297.
Lapota D, *see* Losee JR. 1977; 4:373–380.
Laraway BS, *see* Morin RA. 1976; 3:57–62.
Laraway BS, *see* Hogan PM. 1981; 8:51–58.
Larsen M, *see* Aanderud L. 1982; 9:255–261.
Lash LE, *see* Berghage TE. 1975; 2:215–222.
Lawson K, *see* Kanwisher J. 1974; 1:99–109.
Layton RP, *see* Manalaysay AR. 1983; 10:95–106.
Le Messurier DH, Smith TN, Wood WR. Diffusion and nucleation of gas in gel and some implications for the development of decompression procedures. 1979; 6:175–188.
Lee IS, *see* Park YS. 1983; 10:203–215.
Lee JB, *see* Walker BR. 1980; 7:113–126.
Lee SI, *see* Park YS. 1983; 10:203–215.
Lehto VP, Kantola I, Tervo T, Laitinen LA. Ruthenium red staining of blood-bubble interface in acute decompression sickness in rat. 1981; 8:101–111.
Lehtosalo J, *see* Kaakkola S. 1982; 9:233–240.
Leitch DR, Barnard EE. Observations on no-stop and repetitive air and oxynitrogen diving. 1982; 9:113–129.
Leitch DR, Pearson RR. Decompression sickness or cold injury?. 1978; 5:363–367.
Lemaire C, Murphy EL. Longitudinal study of performance after deep compressions with heliox and He-N_2-O_2. 1976; 3:205–216.
Leventhal BL, *see* Bennett PB. 1980; 7:11–16.
Levin LL, *see* Bove AA. 1977; 4:169–182.
Lightfoot EN, *see* Kindwall EP. 1975; 2:285–297.
Lightfoot N, *see* Nichols G. 1981; 8:239–243.
Lin YC, Kato EN. Effects of helium gas on heart rate and oxygen consumption in unanesthetized rats. 1974; 1:281–290.
Lin YC, Shida KK, Respicio BL. Hyperbaric whole-body plethysmograph for rodents. 1983; 10:135–145.
Lin YC, *see* Wade CE. 1979; 6:313–318.
Linaweaver PG Jr, *see* Neuman TS. 1976; 3:121–130.
Lindgren G, *see* Raymond LW. 1975; 2:51–67.
Lindvall B, *see* Brattström P. 1975; 2:161–166.
Linér MH, *see* Balldin UI. 1976; 3:163–169.
Linér MH, *see* Dahlback GO. 1978; 5:71–85.
Lipschitz S, *see* Chryssanthou C. 1977; 4:117–129.
Lohman TG, *see* Gross PM. 1976; 3:351–360.
Löllgen H, von Nieding G, Krekeler H, Smidt U, Koppenhagen K, Frank H. Respiratory gas exchange and lung perfusion in man during and after head-out water immersion. 1976; 3:49–56.
Longmuir IS, Gottlieb SF, Pashko LL, Martin P. In vivo and in vitro induction of cytochrome P-450 synthesis in hyperoxia. 1980; 7:161–170.
Losee JR, Lapota D. Direct measurement of helium elimination in mice. 1977; 4:373–380.
Lowe CA, Shaffer TH. Increased pulmonary vascular resistance during liquid ventilation. 1981; 8:229–238.
Lowenhaupt MT, *see* Henderson JV. 1977; 4:19–26.
Lundgren CEG, Örnhagen H. Nausea and abdominal discomfort—Possible relation to aerophagia during diving: an epidemiologic study. 1975; 2:155–160.
Lundgren CEG, Örnhagen HCH. Heart rate and respiratory frequency in hydrostatically compressed, liquid-breathing mice. 1976; 3:303–320.
Lundgren CEG, Tjernström Ö, Örnhagen H. Alternobaric vertigo and hearing disturbances in connection with diving: an epidemiologic study. 1974; 1:251–258.
Lundgren CEG, *see* Brattström P. 1975; 2:161–166.
Lundgren CEG, *see* Ivarsson A. 1977; 4:9–18.
Lundgren CEG, *see* Thalmann ED. 1978; 5:293–300.
Lundgren CEG, *see* Thalmann ED. 1979; 6:259–290.
Lundgren CEG, *see* Hickey DD. 1983; 10:241–254.

Luria SM, Kinney JA. Linear polarizing filters and underwater vision. 1974; 1:371–378.
Luria SM, *see* Kinney JAS. 1977; 4:55–66.
Luria SM, *see* McKay CL. 1977; 4:131–145.
Luria SM, *see* Kinney JAS. 1979; 6S:163–173.
Lynch PR, Wilson JS, Shaffer TH, Cohen N. Decompression incidence in air- and liquid-breathing hamsters. 1983; 10:1–10.
Lynch PR, *see* Bove AA. 1977; 4:169–182.
Lynn WS, *see* Somayajulu RSN. 1978; 5:1–8.
Macaulay II, *see* Norman JN. 1979; 6:209–216.
MacDonald AG, *see* Walker E. 1977; 4:1–8.
MacDonald AG, *see* Brauer RW. 1982; 9:353–396.
Mackay RS. Automatic compensation by capillary gauge for altitude decompression. 1976; 3:399–402.
Mackie CS, *see* Walker E. 1977; 4:1–8.
MacIntosh A, *see* Norman JN. 1979; 6:209–216.
Maeda H, *see* Mano Y. 1982; 9:45–57.
Maitland G, *see* Ackerman MJ. 1975; 2:305–310.
Manalaysay AR, Langworthy HC, Layton RP. Catecholamine levels in divers subjected to stresses of immersion and hyperbaric exposure. 1983; 10:95–106.
Mano Y, Shibayama M, Maeda H. Evaluation of different decompression schedules by an agarose gel bubble technique. 1982; 9:45–57.
Mano Y, *see* D'Arrigo JS. 1979; 6:93–98.
March NF. In-water resuscitation [letter]. 1981; 8:65–66.
March NF, Matthews RC. Feasibility study of CPR in the water. 1980; 7:141–148.
Marky DC, *see* Hickey DD. 1983; 10:273–279.
Marquis RE, Thom SR, Crookshank CA. Interactions of helium, oxygen, and nitrous oxide affecting bacterial growth. 1978; 5:189–198.
Martin P, *see* Longmuir IS. 1980; 7:161–170.
Mastrangelo CJ, Kendig JJ, Trudell JR, Cohen EN. Nerve membrane lipid fluidity: opposing effects of high pressure and ethanol. 1979; 6:47–53.
Matsuda M, Nakayama H, Arita H, Morlock JF, Claybaugh J, Smith RM, Hong SK. Physiological responses to head-out immersion in water at 11 ATA. 1978; 5:37–52.
Matsuda M, Nakayama H, Ito A, Kirigaya N, Kurata FK. Physiology of man during a 10-day dry heliox saturation dive (SEATOPIA) to 7 ATA. I. Cardiovascular and thermoregulatory functions. 1975; 2:101–118.
Matsuda M, Nakayama H, Kurata FK, Claybaugh JR, Hong SK. Physiology of man during a 10-day dry heliox saturation dive (SEATOPIA) to 7 ATA. II. Urinary water, electrolytes, ADH, and aldosterone. 1975; 2:119–131.
Matsuda M, *see* Hong SK. 1977; 4:211–220.
Matsuda M, *see* Hong SK. 1977; 4:247–265.
Matsuda M, *see* Shiraki K. 1982; 9:321–333.
Matsuda M, *see* Shiraki K. 1983; 10:349–358.
Matthews RC, *see* March NF. 1980; 7:141–148.
Matthews WH, Balzer RH, Shelburne JD, Pratt PC, Kylstra JA. Steady-state gas exchange in normothermic, anesthetized, liquid-ventilated dogs. 1978; 5:341–354.
Matthews WH, Kylstra JA. A fluorocarbon emulsion with a high solubility for CO_2. 1976; 3:113–120.
Matthies DL, *see* Kennedy J. 1977; 4:317–323.
Mayo IC, *see* Morrison JB. 1976; 3:217–234.
McCluggage C, *see* Messier AA. 1979; 6S:57–70.
McCracken LE, Nicodemus HF, Tobey RE, Bailey RC. Ketamine and thiopental sleep responses in guinea pigs in hyperbaric helium-oxygen. 1979; 6:329–338.
McCracken TM, *see* Berghage TE. 1979; 6:231–239.
McCraken TM, *see* Berghage TE. 1979; 6:379–384.
McDonough AA, *see* Hong SK. 1977; 4:247–265.
McElroy H, *see* Nicodemus HF. 1980; 7:1–9.
McElroy H, *see* Nicodemus HF. 1981; 8:171–174.
McElroy HW, *see* Small A. 1983; 10:157–168.
McIntyre BA, *see* Philp RB. 1979; 6:127–146.
McKay CL, Strauss MS, Kinney JA, Luria SM. Visual evoked responses, EEG's and reaction time during a normoxic saturation dive, NISAT I. 1977; 4:131–145.
McKay CL, *see* Kinney JAS. 1977; 4:55–66.
McKay CL, *see* Kinney JAS. 1979; 6S:163–173.
McKie NIP, *see* Norman JN. 1979; 6:209–216.
McLeod M, *see* Bennett PB. 1982; 9:335–351.
McNicoll WD. Remediable eustachian tube dysfunction in diving recruits: assessment, investigation, and management. 1982; 9:37–43.
Melamed Y, *see* Kerem D. 1980; 7:17–26.
Mendelson S, *see* Chryssanthou C. 1979; 6:319–328.
Mendoza SA, *see* Miller JH. 1977; 4:333–345.
Messier AA, Heyder E, Braithwaite WR, McCluggage C, Peck A, Schaefer KE. Calcium, magnesium, and phosphorus metabolism, and parathyroid-calcitonin function during prolonged exposure to elevated CO_2 concentrations on submarines. 1979; 6S:57–70.
Messier AA, *see* Schaefer KE. 1979; 6S:115–134.
Messier AA, *see* Douglas WHJ. 1979; 6S:135–142.
Messier AA, *see* Schaefer KE. 1979; 6S:143–153.
Messier AA, *see* Schaefer KE. 1979; 6S:155–161.
Meyer M, *see* Hlastala MP. 1980; 7:297–304.
Miles JA Jr, *see* Hardenbergh E. 1975; 2:68–69.
Miles JA Jr, *see* Bove AA. 1978; 5:149–158.
Miller DA, *see* Bondi KR. 1977; 4:89–94.
Miller DA, *see* Gilman SC. 1979; 6:303–307.

Miller JH, Mendoza SA. Inhibition of sodium transport by hyperbaric oxygen in the toad urinary bladder. 1977; 4:333–345.
Miller JW, Bachrach AJ, Walsh JM. Assessment of vertical excursions and open-sea psychological performance at depths to 250 fsw. 1976; 3:339–349.
Miller KW, *see* Gait D. 1975; 2:42–50.
Miller KW, *see* Sauter JF. 1980; 7:257–263.
Miller KW, *see* Rowland-James P. 1981; 8:1–11.
Miller KW, *see* Brauer RW. 1982; 9:353–396.
Miller SE, *see* Casillas E. 1975; 2:267–276.
Miyazaki Y, *see* Takano T. 1980; 7:191–197.
Molish HB, *see* Weybrew BB. 1979; 6S:175–189.
Mookerjee BK, *see* Walker BR. 1980; 7:113–126.
Mookerjee BK, *see* Walker BR. 1981; 8:137–145.
Mooney LW, *see* Tappan DV. 1979; 6S:201–215.
Mooney LW, *see* Dembert ML. 1983; 10:45–61.
Moore J, *see* D'Aoust BG. 1979; 6:109–125.
Moore TO, *see* Webb P. 1977; 4:221–246.
Moran A, *see* Kerem D. 1980; 7:17–26.
Morgan C, *see* Schaefer KE. 1979; 6S:115–134.
Morild E, *see* Brubakk AO. 1982; 9:81–90.
Morin RA, Laraway BS. Closed-system habitat for high pressure exposures of animal colonies. 1976; 3:57–62.
Morin RA, *see* Hogan PM. 1981; 8:51–58.
Morin RA, *see* Goldinger JM. 1981; 8:59–62.
Morlock JF, Dressendorfer RH. Modification of a standard bicycle ergometer for underwater use. 1974; 1:335–342.
Morlock JF, *see* Dressendorfer RH. 1976; 3:177–187.
Morlock JF, *see* Webb P. 1977; 4:221–246.
Morlock JF, *see* Dressendorfer RH. 1977; 4:283–296.
Morlock JF, *see* Matsuda M. 1978; 5:37–52.
Morris JE, *see* Davies DM. 1979; 6S:71–80.
Morrison JB, Butt WS, Florio JT, Mayo IC. Effects of increased O_2-N_2 pressure and breathing apparatus on respiratory function. 1976; 3:217–234.
Morrison JB, Florio JT, Butt WS. Effects of CO_2 insensitivity and respiratory pattern on respiration in divers. 1981; 8:209–217.
Morrison JB, Florio JT, Butt WS. Observations after loss of consciousness under water. 1978; 5:179–187.
Moselhi M, Abdallah SM, Azab YM. Pulmonary function in men with intermittent long-term exposure to hyperbaric oxygen. 1980; 7:149–157.
Moskowitz GD, *see* Sivieri EM. 1981; 8:75–83.
Mukherjee SP, *see* Somayajulu RSN. 1978; 5:1–8.
Murphy EL, *see* Lemaire C. 1976; 3:205–216.
Nakayama H, *see* Matsuda M. 1975; 2:101–118.
Nakayama H, *see* Matsuda M. 1975; 2:119–131.
Nakayama H, *see* Matsuda M. 1978; 5:37–52.
Nakayama H, *see* Shiraki K. 1982; 9:321–333.
Nakayama H, *see* Shiraki K. 1983; 10:349–358.
Naquet R, *see* Rostain JC. 1980; 7:77–94.
Nashimoto I, *see* Takano T. 1980; 7:191–197.
Neuman TS, Goad RF, Hall D, Smith RM, Claybaugh JR, Hong SK. Urinary excretion of water and electrolytes during open-sea saturation diving to 850 fsw. 1979; 6:291–302.
Neuman TS, Hall DA, Linaweaver PG Jr. Gas phase separation during decompression in man: ultrasound monitoring. 1976; 3:121–130.
Nicholas TE, Hart JL, Kim PA. Effect of breathing helium on sympathetic nervous and cardiovascular functions. 1974; 1:271–280.
Nicholas TE, Hart JL, Kim PA. Inability of helium to influence the occurrence of arrhythmias in cats, rats, and mice. 1975; 2:28–34.
Nicholas TE, *see* Johnson RG. 1981; 8:13–21.
Nichols G, Goad RF, Page B. Skin antisepsis during steady-state hyperbaric exposure and subsequent decompression. 1983; 10:115–122.
Nichols G, Goad RF, Page B, Lightfoot N. A pilot study of skin disinfection in the hyperbaric environment. 1981; 8:239–243.
Nicodemus HF, Bailey RC, Summe JP, McElroy H. Dose-responses of guinea pigs to diazepam at recompression depths. 1980; 7:1–9.
Nicodemus HF, McElroy H. Failure of naloxone or physostigmine to reverse nitrogen anesthesia in guinea pigs. 1981; 8:171–174.
Nicodemus HF, *see* McCracken LE. 1979; 6:329–338.
Nielsen CH, *see* Bjørnø L. 1977; 4:97–102.
Nielsen CH, *see* Vann RD. 1980; 7:107–112.
Niemoeller H, *see* Schaefer KE. 1979; 6S:143–153.
Nolan RJ, Dodd DE, Faiman MD. Cerebral and blood glucose in central oxygen poisoning. 1978; 5:87–93.
Norman JN, Childs CM, Jones C, Smith JAR, Ross J, Riddle G, MacIntosh A, McKie NIP, Macaulay II, Fructus X. Management of a complex diving accident. 1979; 6:209–216.
Nuckols ML, Piantadosi CA. Calibration and characterization of heat flow transducers for use in hyperbaric helium. 1980; 7:249–256.
Nussberger P, *see* Böni M. 1976; 3:189–204.
O'Bryan R, *see* Dwyer J. 1977; 4:359–372.
O'Neal JD, *see* Rodkey FL. 1974; 1:197–201.
O'Reilly JP. Hana Kai II: a 17-day dry saturation dive at 18.6 ATA. VI: Cognitive performance, reaction time, and personality changes. 1977; 4:297–305.
O'Reilly JP. Performance decrements under hyperbaric He-O_2. 1974; 1:353–361.

O'Reilly JP, Respicio BL, Kurata FK, Hayashi EM. Hana Kai II: a 17–day dry saturation dive at 18.6 ATA. VII: Auditory, visual, and gustatory sensations. 1977; 4:307–314.
Ohta Y, *see* Webb P. 1977; 4:221–246.
Olsen DA, *see* D'Aoust BG. 1976; 3:35–40.
Onarheim J, Tyssebotn I. Effect of high ambient pressure and oxygen tension on organ blood flow in the anesthetized rat. 1980; 7:47–60.
Onarheim J, *see* Brubakk AO. 1982; 9:81–90.
Örnhagen H, *see* Lundgren CEG. 1974; 1:251–258.
Örnhagen H, *see* Lundgren CEG. 1975; 2:155–160.
Örnhagen H, *see* Brattström P. 1975; 2:161–166.
Örnhagen H, *see* Ivarsson A. 1977; 4:9–18.
Örnhagen HC. Influence of nitrous oxide, nitrogen, neon, and helium on the beating frequency of the mouse sinus node at high pressure. 1979; 6:27–39.
Örnhagen HC. Rate of pressure change and hyperbaric bradycardia in the mouse sinus node. 1979; 6:241–249.
Örnhagen HC, Hogan PM. Hydrostatic pressure and mammalian cardiac-pacemaker function. 1977; 4:347–358.
Örnhagen HC, Sigurdsson SB. Effects of high hydrostatic pressure on rat atrial muscle. 1981; 8:113–120.
Örnhagen HC, Tallberg P. Pressure equilibration of the middle ear during ascent. 1981; 8:219–227.
Örnhagen HC, *see* Sigurdsson SB. 1980; 7:171–181.
Örnhagen HC, *see* Hogan PM. 1981; 8:51–58.
Örnhagen HCH, *see* Lundgren CEG. 1976; 3:303–320.
Ostfeld AM, *see* Dembert ML. 1983; 10:45–61.
Paganelli CV, *see* Hong SK. 1977; 4:247–265.
Paganelli CV, *see* Goldinger JM. 1981; 8:59–62.
Paganelli CV, *see* Van Liew HD. 1982; 9:175–181.
Page B, *see* Nichols G. 1981; 8:239–243.
Page B, *see* Nichols G. 1983; 10:115–122.
Palmer AC, Blakemore WF, Payne JE, Sillence A. Decompression sickness in the goat: nature of brain and spinal cord lesions at 48 hours. 1978; 5:275–286.
Park YS, Rahn H, Lee IS, Lee SI, Kang DH, Hong SY, Hong SK. Patterns of wet suit diving in Korean women breath-hold divers. 1983; 10:203–215.
Parmar SS, *see* Geiger JD. 1976; 3:131–137.
Parmar SS, *see* Geiger JD. 1983; 10:321–329.
Parmentier JL, Shrivastav BB, Bennett PB. Hydrostatic pressure reduces synaptic efficiency by inhibiting transmitter release. 1981; 8:175–183.
Parmentier JL, Shrivastav BB, Bennett PB, Wilson KM. Effect of interaction of volatile anesthetics and high hydrostatic pressure on central neurons. 1979; 6:75–91.
Parrish DE, *see* Brauer RW. 1974; 1:239–250.
Påsche A, *see* Hayes PA. 1983; 10:29–37.
Påsche AJ, *see* Hickey DD. 1983; 10:241–254.
Pashko LL, *see* Longmuir IS. 1980; 7:161–170.
Pasquale SM, *see* Douglas WHJ. 1979; 6S:135–142.
Pasquale SM, *see* Schaefer KE. 1979; 6S:143–153.
Paton WD, *see* Gait D. 1975; 2:42–50.
Paton WDM, *see* Daniels S. 1979; 6:197–207.
Paulev PE, *see* Bjørnø L. 1977; 4:97–102.
Payne JE, *see* Palmer AC. 1978; 5:275–286.
Pearson RR, Goad RF. Delayed cerebral edema complicating cerebral arterial gas embolism: case histories. 1982; 9:283–296.
Pearson RR, *see* Leitch DR. 1978; 5:363–367.
Peck A, *see* Messier AA. 1979; 6S:57–70.
Pegg J, *see* Dressendorfer RH. 1977; 4:283–296.
Persliden B, Röckert HOE. Proteoglycan clearance in rat femoral cartilage exposed to 6 ATA. 1980; 7:241–245.
Peterson R, *see* Værnes R. 1983; 10:169–192.
Peterson RE, *see* Værnes R. 1982; 9:1–14.
Peterson RE, *see* Brubakk AO. 1982; 9:81–90.
Phernetton TM, *see* Stock MK. 1983; 10:299–309.
Philp RB. A review of blood changes associated with compression-decompression: relationship to decompression sickness. 1974; 1:117–150.
Philp RB, Bennett PB, Andersen JC, Fields GN, McIntyre BA, Francey I, Briner W. Effects of aspirin and dipyridamole on platelet function, hematology, and blood chemistry of saturation divers. 1979; 6:127–146.
Philp RB, Freeman D, Francey I, Bishop B. Hematology and blood chemistry in saturation diving: I. Antiplatelet drugs, aspirin, and VK744. 1975; 2:233–249.
Philp RB, Freeman D, Francey I. Hematology and blood chemistry in saturation diving: II. Open–sea vs. hyperbaric chamber. 1975; 2:251–265.
Piantadosi CA, Clinton RL, Thalmann ED. Prolonged oxygen exposures in immersed exercising divers at 25 fsw (1.76 ATA). 1979; 6:347–356.
Piantadosi CA, *see* Nuckols ML. 1980; 7:249–256.
Piantadosi CA, *see* Johnson CE. 1982; 9:59–74.
Pierce AL. In-water resuscitation [letter]. 1981; 8:64–65.
Pierce AL, *see* Bove AA. 1977; 4:169–182.
Plewes JL, Farhi LE. Peripheral circulatory responses to acute hyperoxia. 1983; 10:123–129.
Porlier G, *see* Giry PB. 1977; 4:147–157.
Powell MR, Thoma W, Fust HD, Cabarrou P. Gas phase formation and Doppler monitoring during

decompression with elevated oxygen. 1983; 10:217–224.
Pratt PC, *see* Matthews WH. 1978; 5:341–354.
Quesada M, *see* Frattali V. 1975; 2:89–100.
Quesada M, *see* Frattali V. 1975; 2:167–172.
Racanska L, *see* Bennett PB. 1980; 7:11–16.
Radomski MW, *see* Giry PB. 1977; 4:147–157.
Radziszewski E, *see* Guillerm R. 1979; 6S:91–114.
Rahn H, Rokitka MA. Narcotic potency of N_2, A, and N_2O evaluated by the physical performance of mouse colonies at simulated depths. 1976; 3:25–34.
Rahn H, *see* Park YS. 1983; 10:203–215.
Rankin JHG, *see* Stock MK. 1983; 10:299–309.
Rattner BA, Gruenau SP. Adrenal function and the incidence of bends after decompression in mice: effect of adrenalectomy, corticosteroids, decompression intensity, and time of day. 1979; 6:155–166.
Raymond L, Sode J, Langworthy HC, Blosser J, Johnsonbaugh RE. Increase in plasma growth hormone concentration: a new effect of helium breathing. 1974; 1:91–98.
Raymond L, Sode J, Spaur W, Uddin D, Johnsonbaugh R, Bauer R, Knott M, Crothers J. Glucose homeostasis of man in helium-oxygen at 1–50 atmospheres absolute. 1974; 1:325–334.
Raymond LW, Thalmann E, Lindgren G, Langworthy HC, Spaur WH, Crothers J, Braithwaite W, Berghage T. Thermal homeostasis of resting man in helium-oxygen at 1–50 atmospheres absolute. 1975; 2:51–67.
Raymond LW, *see* Rodkey FL. 1974; 1:197–201.
Raymond LW, *see* Spaur WH. 1977; 4:183–198.
Raymond LW, *see* Evans DE. 1977; 4:381–389.
Reedy TW, *see* Spaur WH. 1978; 5:159–177.
Respicio B, *see* Dressendorfer RH. 1977; 4:283–296.
Respicio BL, *see* O'Reilly JP. 1977; 4:307–314.
Respicio BL, *see* Lin YC. 1983; 10:135–145.
Riddle G, *see* Norman JN. 1979; 6:209–216.
Riepl G, *see* Hlastala MP. 1980; 7:297–304.
Ringelberg JM, *see* Spaur WH. 1978; 5:159–177.
Roa CE, *see* Berghage TE. 1976; 3:261–271.
Robertson R, *see* Frattali V. 1975; 2:89–100.
Robertson R, *see* Frattali V. 1975; 2:167–172.
Roby J, *see* Bennett PB. 1974; 1:221–237.
Roby J, *see* Bennett PB. 1980; 7:11–16.
Roby J, *see* Bennett PB. 1981; 8:85–100.
Rochelle RD, Horvath SM. Thermoregulation in surfers and nonsurfers immersed in cold water. 1978; 5:377–390.
Röckert HO, Damber JE, Janson PO. Testicular blood flow and plasma testosterone concentrations in anesthetized rats previously exposed to air at 6 ATA. 1978; 5:355–361.
Röckert HOE, *see* Persliden B. 1980; 7:241–245.
Rodkey FL, Raymond LW, Collison HA, O'Neal JD. Changes in blood carboxyhemoglobin during simulated saturation diving to 50 ATA. 1974; 1:197–201.
Rogers J, *see* Clarke JR. 1982; 9:21–35.
Rokitka MA, *see* Rahn H. 1976; 3:25–34.
Roloff MV, D'Addario AP, Buffum EJ. Pulmonary alveolar macrophage response to hyperbaric carbon monoxide exposure. 1978; 5:15–23.
Ross BK, Akers TK. Scanning electron microscopy of normoxic and hyperoxic hyperbaric exposed lungs. 1976; 3:283–299.
Ross HE. The direction of apparent movement during transient pressure vertigo. 1976; 3:403–410.
Ross J, *see* Norman JN. 1979; 6:209–216.
Rostain JC, Gardette-Chauffour MC, Naquet R. HPNS during rapid compressions of men breathing He-O_2 and He-N_2-O_2 at 300 m and 180 m. 1980; 7:77–94.
Rothman HB, Gelfand R, Hollien H, Lambertsen CJ. Speech intelligibility at high helium-oxygen pressures. 1980; 7:265–275.
Rowland-James P, Wilson MW, Miller KW. Pharmacological evidence for multiple sites of action of pressure in mice. 1981; 8:1–11.
Rubin L, *see* Chryssanthou C. 1980; 7:321–329.
Ryan AP, *see* Kinney JAS. 1979; 6S:163–173.
Sagawa S, *see* Shiraki K. 1982; 9:321–333.
Sagawa S, *see* Shiraki K. 1983; 10:349–358.
Saltzman HA, *see* Kerem DH. 1975; 2:20–27.
Saltzman HA, *see* Dwyer J. 1977; 4:359–372.
Sauter JF, Wankowicz PG, Miller KW. An apparatus for performing filtration assays in hyperbaric atmospheres. 1980; 7:257–263.
Schaefer KE. Physiological stresses related to hypercapnia during patrols on submarines. 1979; 6S:15–47.
Schaefer KE, Carey CR, Dougherty JH Jr, Morgan C, Messier AA. Effect of intermittent exposure to 3% CO_2 on respiration, acid-base balance, and calcium-phosphorus metabolism. 1979; 6S:115–134.
Schaefer KE, Douglas WHJ, Messier AA, Shea ML, Gohman PA. Effect of prolonged exposure to 0.5% CO_2 on kidney calcification and ultrastructure of lungs. 1979; 6S:155–161.
Schaefer KE, Kerr CM, Buss D, Haus E. Effect of 18-h watch schedules on circadian cycles of physiological functions during submarine patrols. 1979; 6S:81–90.
Schaefer KE, Pasquale SM, Messier AA, Niemoeller H. CO_2-induced kidney calcification. 1979; 6S:143–153.
Schaefer KE, *see* Wilson AJ. 1979; 6S:49–56.
Schaefer KE, *see* Messier AA. 1979; 6S:57–70.

Schaefer KE, *see* Douglas WHJ. 1979; 6S:135–142.
Schaefer KE, *see* Tansey WA. 1979; 6S:217–246.
Scheid P, *see* Hlastala MP. 1980; 7:297–304.
Schibli R, *see* Böni M. 1976; 3:189–204.
Schuhmann RE, *see* Conkin J. 1983; 10:343–348.
Segerbo BE. Alterations in seizure mechanisms caused by oxygen high pressure, 1,1-dimethylhydrazine, and pyridoxine. 1979; 6:167–174.
Seibold H, *see* D'Aoust BG. 1975; 2:141–149.
Seireg A, *see* Kindwall EP. 1975; 2:285–297.
Seireg A, *see* Baz A. 1979; 6:217–229.
Seki K, Hugon M. Critical flicker frequency (CFF) and subjective fatigue during an oxyhelium saturation dive at 62 ATA. 1976; 3:235–247.
Shackelford A, *see* Frattali V. 1975; 2:89–100.
Shaffer TH, *see* Sivieri EM. 1981; 8:75–83.
Shaffer TH, *see* Lowe CA. 1981; 8:229–238.
Shaffer TH, *see* Lynch PR. 1983; 10:1–10.
Shankaran R, *see* Fish E. 1979; 6:189–196.
Share L, *see* Walker BR. 1980; 7:113–126.
Shea ML, *see* Schaefer KE. 1979; 6S:155–161.
Shearer W, *see* Hollien H. 1977; 4:199–207.
Sheehan ME, *see* Brauer RW. 1974; 1:59–72.
Shefer A, *see* Sherman D. 1980; 7:61–74.
Shelburne JD, *see* Matthews WH. 1978; 5:341–354.
Sherman D, Eilender E, Shefer A, Kerem D. Ventilatory and occlusion-pressure responses to hypercapnia in divers and non-divers. 1980; 7:61–74.
Shibayama M, *see* Mano Y. 1982; 9:45–57.
Shida KK, *see* Lin YC. 1983; 10:135–145.
Shiraki K, Konda N, Sagawa S, Nakayama H, Matsuda M. Body heat balance and urine excretion during a 4-day saturation dive at 4 ATA. 1982; 9:321–333.
Shiraki K, Sagawa S, Konda N, Nakayama H, Matsuda M. Properties of red blood cell after multiday exposure to 31 ATA. 1983; 10:349–358.
Shrivastav BB, *see* Parmentier JL. 1979; 6:75–91.
Shrivastav BB, *see* Parmentier JL. 1981; 8:175–183.
Sigurdsson SB, Örnhagen HC. Spontaneous activity of rat portal vein at normal and elevated hydrostatic pressure. 1980; 7:171–181.
Sigurdsson SB, *see* Örnhagen HC. 1981; 8:113–120.
Sillence A, *see* Palmer AC. 1978; 5:275–286.
Simmang C, *see* Fife WP. 1978; 5:287–292.
Simon AJ, Torbati D. Effects of hyperbaric oxygen on heart, brain, and lung functions in rat. 1982; 9:263–275.
Simon AJ, *see* Bove AA. 1982; 9:75–80.
Simon S, Katz Y, Bennett PB. Calculation of the percentage of a narcotic gas to permit abolition of the high pressure nervous syndrome. 1975; 2.299–303.
Simpson DM, Harris DJ, Bennett PB. Latency changes in the human somatosensory evoked potential at extreme depths. 1983; 10:107–114.
Sivieri EM, Moskowitz GD, Shaffer TH. Instrumentation for measuring cardiac output by direct Fick method during liquid ventilation. 1981; 8:75–83.
Skutt HR, *see* Gooden BA. 1975; 2:11–19.
Small A, Ide RS, McElroy HW. In vitro renal transport of organic ions during exposure to hyperbaric helium. 1983; 10:157–168.
Smidt U, *see* Löllgen H. 1976; 3:49–56.
Smith EB, *see* Gait D. 1975; 2:42–50.
Smith EB, *see* Brewster E. 1976; 3:151–155.
Smith EB, *see* Daniels S. 1979; 6:197–207.
Smith JAR, *see* Norman JN. 1979; 6:209–216.
Smith KH, *see* D'Aoust BG. 1979; 6:109–125.
Smith LS, *see* Casillas E. 1975; 2:267–276.
Smith LS, *see* Casillas E. 1976; 3:273–281.
Smith LS, *see* Beyer DL. 1976; 3:321–338.
Smith LS, *see* D'Aoust BG. 1980; 7:199–209.
Smith RJ, *see* Hickey DD. 1983; 10:273–279.
Smith RM, Hong SK, Dressendorfer RH, Dwyer HJ, Hayashi E, Yelverton C. Hana Kai II: a 17-day dry saturation dive at 18.6 ATA. IV. Cardiopulmonary functions. 1977; 4:267–281.
Smith RM, *see* Hong SK. 1977; 4:211–220.
Smith RM, *see* Webb P. 1977; 4:221–246.
Smith RM, *see* Hong SK. 1977; 4:247–265.
Smith RM, *see* Dressendorfer RH. 1977; 4:283–296.
Smith RM, *see* Matsuda M. 1978; 5:37–52.
Smith RM, *see* Neuman TS. 1979; 6:291–302.
Smith TN, *see* Le Messurier DH. 1979; 6:175–188.
Sode J, *see* Raymond L. 1974; 1:91–98.
Sode J, *see* Raymond L. 1974; 1:325–334.
Somayajulu RSN, Mukherjee SP, Lynn WS, Bennett PB. Pulmonary oxygen toxicity in chickens and rabbits. 1978; 5:1–8.
Spaur W, *see* Raymond L. 1974; 1:325–334.
Spaur WH, Raymond LW, Knott MM, Crothers JC, Braithwaite WR, Thalmann ED, Uddin DF. Dyspnea in divers at 49.5 ATA: mechanical, not chemical in origin. 1977; 4:183–198.
Spaur WH, Thalmann ED, Flynn ET, Zumrick JL, Reedy TW, Ringelberg JM. Development of unlimited duration excursion tables and procedures for helium-oxygen saturation diving. 1978; 5:159–177.
Spaur WH, *see* Raymond LW. 1975; 2:51–67.
Speck DF, Bruce DS. Effects of varying thermal and apneic conditions on the human diving reflex. 1978; 5:9–14.
Spencer JW, *see* Ackerman MJ. 1976; 3:369–378.

Sphar RL, *see* Hunter WL Jr. 1978; 5:25–36.
Sponholtz DK, *see* Thalmann ED. 1978; 5:293–300.
Sponholtz DK, *see* Van Liew HD. 1979; 6:251–258.
Sponholtz DK, *see* Thalmann ED. 1979; 6:259–290.
Sponholtz DK, *see* Van Liew HD. 1981; 8:147–161.
Sponholtz DK, *see* Van Liew HD. 1982; 9:175–181.
Springer M, *see* Chryssanthou C. 1977; 4:117–129.
Stayton L, *see* D'Aoust BG. 1979; 6:109–125.
Stayton L, *see* D'Aoust BG. 1980; 7:199–209.
Stock MK, Phernetton TM, Rankin JHG. Cardiovascular effects of induced decompression sickness in sheep fetus. 1983; 10:299–309.
Strauss MS, *see* McKay CL. 1977; 4:131–145.
Strauss R, *see* Kanwisher J. 1974; 1:99–109.
Strauss RH. Bubble formation in gelatin: implications for prevention of decompression sickness. 1974; 1:169–174.
Summe JP, *see* Nicodemus HF. 1980; 7:1–9.
Summitt JK, *see* Brady JI Jr. 1976; 3:41–47.
Swanson HT, *see* D'Aoust BG. 1979; 6:109–125.
Syftestad GT, Boelkins JN. Skeletal response of growing rats to continuous long-term hyperbaric helium-oxygen exposure. 1976; 3:361–368.
Takano T, Miyazaki Y, Nashimoto I, Kobayashi K. Effect of hyperbaric oxygen on cyanide intoxication: in situ changes in intracellular oxidation reduction. 1980; 7:191–197.
Tallberg P, *see* Örnhagen HC. 1981; 8:219–227.
Tansey WA, Wilson JM, Schaefer KE. Analysis of health data from 10 years of Polaris submarine patrols. 1979; 6S:217–246.
Tappan DV, Jacey MJ, Heyder E, Harvey CA. Biochemical and hematologic profiles of 1000 submariners. 1979; 6S:191–199.
Tappan DV, Mooney LW, Jacey MJ, Heyder E. Cardiovascular risk factors in submariners. 1979; 6S:201–215.
Taylor CD. Solubility of oxygen in a seawater medium in equilibrium with a high-pressure oxy-helium atmosphere. 1979; 6:147–154.
Terjung RL, *see* Gross PM. 1976; 3:351–360.
Tervo T, *see* Lehto VP. 1981; 8:101–111.
Thalmann E, *see* Raymond LW. 1975; 2:51–67.
Thalmann ED, Sponholtz DK, Lundgren CEG. Chamber-based system for physiological monitoring of submerged exercising subjects. 1978; 5:293–300.
Thalmann ED, Sponholtz DK, Lundgren CEG. Effects of immersion and static lung loading on submerged exercise at depth. 1979; 6:259–290.
Thalmann ED, *see* Berghage TE. 1975; 2:215–222.
Thalmann ED, *see* Spaur WH. 1977; 4:183–198.
Thalmann ED, *see* Spaur WH. 1978; 5:159–177.
Thalmann ED, *see* Van Liew HD. 1979; 6:251–258.
Thalmann ED, *see* Piantadosi CA. 1979; 6:347–356.
Thalmann ED, *see* Butler FK Jr. 1983; 10:131–134.
Thom SR, *see* Marquis RE. 1978; 5:189–198.
Thoma W, *see* Powell MR. 1983; 10:217–224.
Thomas IR, *see* Crosbie WA. 1982; 9:315–319.
Thomas JR. Combined effects of elevated pressures of nitrogen and oxygen on operant performance. 1974; 1:363–370.
Thomas JR. Reversal of nitrogen narcosis in rats by helium pressure. 1976; 3:249–259.
Thomas JR, Bachrach AJ. Modification of operant performance in pigeons by increased pressures of nitrogen and helium. 1974; 1:181–188.
Thorne DE, *see* Hardenbergh E. 1975; 2:68–69.
Thornton RD, *see* Gilman SC. 1979; 6:303–307.
Tjernström Ö. Function of the eustachian tubes in divers with a history of alternobaric vertigo. 1974; 1:343–351.
Tjernström Ö, *see* Lundgren CEG. 1974; 1:251–258.
Tjernström Ö, *see* Ivarsson A. 1977; 4:9–18.
Tobey RE, *see* McCracken LE. 1979; 6:329–338.
Tønjum S, *see* Værnes R. 1982; 9:1–14.
Tønjum S, *see* Brubakk AO. 1982; 9:81–90.
Tønjum S, *see* Værnes R. 1983; 10:169–192.
Torbati D, *see* Simon AJ. 1982; 9:263–275.
Torisu T, *see* Kawashima M. 1977; 4:409–417.
Torley LW, Weiss HS. Effects of age and magnesium ions on oxygen toxicity in the neonate chicken. 1975; 2:223–227.
Townsend RE, Hall DA. Sleep, mood, and fatigue during a 14-day He-O_2 open-sea saturation dive to 850 fsw with excursions to 950 fsw. 1978; 5:109–117.
Triplett RG, *see* Carlson OG. 1983; 10:23–28.
Troutman SJ Jr, *see* Webb P. 1977; 4:221–246.
Trudell JR, *see* Mastrangelo CJ. 1979; 6:47–53.
Tyssebotn I, *see* Onarheim J. 1980; 7:47–60.
Uddin D, *see* Raymond L. 1974; 1:325–334.
Uddin DF, *see* Spaur WH. 1977; 4:183–198.
Uddman R, *see* Ivarsson A. 1977; 4:9–18.
Unger H, Hempel FG, Kaufmann PG. Correspondence of brain and rectal temperatures of guinea pigs in helium environments. 1980; 7:27–34.
Urbanetti JS, *see* Anthonisen NR. 1976; 3:95–102.
Ursin R, *see* Aanderud L. 1982; 9:255–261.
Utz G, *see* Anthonisen NR. 1976; 3:95–102.
Værnes R, Bennett PB, Hammerborg D, Ellertsen B, Peterson RE, Tønjum S. Central nervous system reactions during heliox and trimix dives to 31 ATA. 1982; 9:1–14.

Værnes R, Hammerborg D, Ellertsen B, Peterson R, Tønjum S. Central nervous system reactions during heliox and trimix dives to 51 ATA, DEEP EX 81. 1983; 10:169–192.
Van Liew HD. Mechanical and physical factors in lung function during work in dense environments. 1983; 10:255–264.
Van Liew HD, Paganelli CV, Sponholtz DK. Estimation of gas-phase diffusivities in hyperbaric environments. 1982; 9:175–181.
Van Liew HD, Sponholtz DK. Effectiveness of a breath during exercise in a hyperbaric environment. 1981; 8:147–161.
Van Liew HD, Thalmann ED, Sponholtz DK. Diffusion-dependence of pulmonary gas mixing at 5.5 and 9.5 ATA. 1979; 6:251–258.
Vann RD, Clark HG. Bubble growth and mechanical properties of tissue in decompression. 1975; 2:185–194.
Vann RD, Grimstad J, Nielsen CH. Evidence for gas nuclei in decompressed rats. 1980; 7:107–112.
Varene P, *see* Choukroun ML. 1983; 10:331–342.
Vaughan WS Jr. Diver temperature and performance changes during long-duration, cold water exposure. 1975; 2:75–88.
Vaughan WS Jr. Distraction effect of cold water on performance of higher-order tasks. 1977; 4:103–116.
Venter RD, Ward CA, Ho S, Johnson WR, Fraser WD, Landolt JP. Fracture studies on a mammalian semicircular canal. 1983; 10:225–240.
von Nieding G, *see* Löllgen H. 1976; 3:49–56.
Vorosmarti J Jr. Influence of increased gas density and external resistance on maximum expiratory flow. 1979; 6:339–346.
Vorosmarti J Jr, Barnard EEP, Williams J, Hanson R de G. Nitrogen elimination during steady-state hyperbaric exposures. 1978; 5:243–252.
Vorosmarti J Jr, *see* Walsh JM. 1978; 5:129–135.
Vorosmarti J, Bradley ME, Anthonisen NR. The effects of increased gas density on pulmonary mechanics. 1975; 2:1–10.
Vorosmarti J, *see* Bradley ME. 1974; 1:151–167.
Wade CE, Banister EW, Baker DG, Lin YC. Absence of antiarrhythmic effects of helium in patients with spontaneous premature ventricular beats at rest. 1979; 6:313–318.
Wade CE, Hayashi EM, Cashman TM Jr, Beckman EL. Incidence of dysbaric osteonecrosis in Hawaii's diving fishermen. 1978; 5:137–147.
Walder DN, *see* Gregg PJ. 1977; 4:75–79.
Walker BR, Attallah AA, Lee JB, Hong SK, Mookerjee BK, Share L, Krasney JA. Antidiuresis and inhibition of PGE_2 excretion by hyperoxia in the conscious dog. 1980; 7:113–126.
Walker BR, Hong SK, Mookerjee BK, Krasney JA. Suppressed renin release during hyperoxia in the conscious dog. 1981; 8:137–145.
Walker E, Mackie CS, MacDonald AG. New observations on pressure-induced motor disturbances in a small mammal. 1977; 4:1–8.
Walker RI, *see* Gillmore JD. 1977; 4:67–73.
Walsh JM, Vorosmarti J Jr. Reduction of the incidence of decompression sickness in rats by smooth-muscle activating factor (SMAF). 1978; 5:129–135.
Walsh JM, *see* Miller JW. 1976; 3:339–349.
Wankowicz PG, *see* Sauter JF. 1980; 7:257–263.
Ward CA, *see* Venter RD. 1983; 10:225–240.
Way RO, *see* Brauer RW. 1974; 1:239–250.
Weathersby PK, Homer LD. Solubility of inert gases in biological fluids and tissues: a review. 1980; 7:277–296.
Weathersby PK, *see* Barnard EEP. 1981; 8:187–198.
Webb P, Troutman SJ Jr, Frattali V, Dressendorfer RH, Dwyer J, Moore TO, Morlock JF, Smith RM, Ohta Y, Hong SK. Hana Kai II: a 17–day dry saturation dive at 18.6 ATA. II. Energy balance. 1977; 4:221–246.
Webb P, *see* Hong SK. 1977; 4:211–220.
Webb P, *see* Hong SK. 1977; 4:247–265.
Weiss HS, *see* Torley LW. 1975; 2:223–227.
Welch B, *see* Gait D. 1975; 2:42–50.
Welch DW, *see* Gelderd JB. 1980; 7:305–320.
Wells CH, *see* Hilton JG. 1976; 3:157–161.
Wells JM, *see* D'Aoust BG. 1976; 3:35–40.
Weybrew BB. Diver adaptability during a nitrox saturation dive at 7 ATA. 1978; 5:259–273.
Weybrew BB, Molish HB. Attitude changes during and after long submarine missions. 1979; 6S:175–189.
White PL, *see* Fowler B. 1980; 7:35–46.
White R, *see* D'Aoust BG. 1975; 2:141–149.
White R, *see* D'Aoust BG. 1976; 3:35–40.
White R, *see* D'Aoust BG. 1979; 6:109–125.
Wilcock SE, Flook V. Environmental and body temperatures of 52 divers in hyperbaric heliox. 1980; 7:225–239.
Williams J, *see* Vorosmarti J Jr. 1978; 5:243–252.
Wilison JR, Blessed WB, Blackburn PJ. Hyperbaric exposure during pregnancy in sheep: staged and rapid decompression. 1983; 10:11–15.
Wilson AJ, Schaefer KE. Effect of prolonged exposure to elevated carbon monoxide and carbon dioxide levels on red blood cell parameters during submarine patrols. 1979; 6S:49–56.

Wilson JM, *see* Tansey WA. 1979; 6S:217–246.
Wilson JS, *see* Lynch PR. 1983; 10:1–10.
Wilson KM, *see* Parmentier JL. 1979; 6:75–91.
Wilson MW, *see* Rowland-James P. 1981; 8:1–11.
Wissler EH, Ketch RB. Errors involved in using thermal flux transducers under various conditions. 1982; 9:213–231.
Wissler EH, *see* Hayes PA. 1983; 10:29–37.
Wood CD. Acetazolamide and CO_2 in hyperbaric oxygen toxicity. 1982; 9:15–20.
Wood WR, *see* Le Messurier DH. 1979; 6:175–188.
Woolley JM, *see* Berghage TE. 1974; 1:189–196.
Wright GR, *see* Fowler B. 1980; 7:35–46.
Yeandle S. Neuromuscular transmission in the frog at 31 ATA helium pressure. 1977; 4:159–168.
Yelverton C, *see* Smith RM. 1977; 4:267–281.
Yelverton C, *see* Dressendorfer RH. 1977; 4:283–296.
Youngblood D, *see* Bennett PB. 1974; 1:221–237.
Yount DE. Application of a bubble formation model to decompression sickness in fingerling salmon. 1981; 8:199–208.
Zaharkin J, *see* Hogan PM. 1981; 8:51–58.
Zinn D, *see* Cromer JA. 1979; 6:367–377.
Zumrick J, *see* Kuehn LA. 1978; 5:213–231.
Zumrick JL, *see* Spaur WH. 1978; 5:159–177.

SUBJECT INDEX VOLUMES 1–10

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Abortion
  and decompression (sheep) 10:11–15
  and scuba diving 7:183–189
Accident
  management 6:209–216
Acid-base equilibrium
  and CO_2 exposure 6S:57–70; 6S:91–114; 6S:115–134; (guinea pig) 6S:143–153
  and pneumocyte II cells (guinea pig) 6S:135–142
  and red blood cells 1:29–43
  and submariners 6S:15–47
Acoustic
  evoked response 4:81–87
  telemetry 1:99–109
Action potential
  cardiac (dog) 7:211–223; (dog) 9:241–253
  neuromuscular function (frog) 5:199–208
  and synapses (squid) 4:19–26
Adaptation
  to cold 5:377–390
  of coral-algal associations 3:35–40
  cytochrome P-450 induction (mouse) 7:161–170
  and exercise tolerance 3:95–102
  and heliox (mouse) 1:239–250; 3:205–216
  operant performance (pigeon) 1:181–188
  in a saturation dive 4:211–220; 4:297–305
  in wet suit diving (Korean women divers) 10:203–215
Adipose tissue
  as a risk factor 6S:201–215
  Xe^{133} elimination 3:163–169; 3:379–385
Adolescence
  alveolar P_{CO_2} 7:17–26
  and bone necrosis 5:25–36
  and diving reflex 4:27–37; 5:9–14
  scuba divers 2:11–19; 10:311–320
  submariners 6S:175–189
Adrenal
  and decompression (review) 1:117–150; (mouse) 6:155–166; (review) 9:161–174
  and drug therapy (review) 9:161–174
  long-term He-O_2 (rat) 4:317–323
Adrenal cortical hormones
  in cold 5:377–390
  and decompression (mouse) 6:155–166
Agarose, *see* Gel
Age
  and attitude changes 6S:175–189
  and bone cysts 10:63–68
  factors (fish) 2:267–276
  and bone necrosis 4:409–417; 5:25–36; 5:137–147
  oxygen toxicity (chicken) 2:223–227
  submariners 6S:175–189; 6S:191–199; 6S:201–215
Air pollution
  in submarines 6S:217–246
Airway
  gas density 2:1–10; 6:339–346
  lung function 10:255–264
  maximal voluntary ventilation 10:241–254
  oxygen exposure 6:347–356
Alcohol
  and body sway 6:15–25
  and lipid fluidity (crayfish) 6:47–53
  and membrane structure 6:41–45
  risk factors 6S:201–215
Aldosterone
  and immersion 5:37–52
  in a saturation dive 2:119–131; 4:247–265; 6:291–302
  and sodium transport (toad) 4:333–345
Algae
  and O_2 (coral-algal associations) 3:35–40
Altitude
  decompression 3:1–23; 3:189–204; 3:399–402; 4:39–53
Alveolar
  macrophage (guinea pig) 5:15–23
  carbon dioxide 7:17–26
Alveolar ventilation, *see* Lung and Ventilation
Amine
  catecholamine 10:95–106
  dopamine (rat) 6:189–196
  monoamine oxidase (rat) 3:131–137
Anesthesia
  and electroencephalogram (rat) 9:255–261
  and high pressure neurological syndrome (rat) 6:189–196
  and hydrostatic pressure (review) 9:353–396
  and membrane lipids (crayfish) 6:47–53
  nitrogen anesthesia reversal (guinea pig) 8:171–174
  and pressure (review) 1:1–28; 1:221–237; 2:299–303; (red cells) 3:151–155; (cell membrane) 6:41–45; (snail) 6:75–91; (guinea pig) 6:329–338; (review) 9:353–396; (rat) 10:343–348
  reversal (guinea pig) 8:171–174
Animal
  closed-system colony 3:57–62
  coral-algal associations 3:35–40
  decompression (fish) 2:267–276; (fish) 3:273–281; (kangaroo rat) 5:309–321; (fish) 7:199–209; (fish) 8:199–208

pharmacological studies in small animals (rat) 8:69–74
respiration (sea lion) 2:20–27
species differences (6 mammals) 6:1–13
Anticoagulant
and decompression sickness (review) 1:117–150
Antidiuretic hormone
in a saturation dive 4:247–265; 6:291–302
in head-out immersion 5:37–52
and prostoglandins (dog) 7:113–126
Apnea
and left ventricular function 4:27–37
Argon
and decompression (fish) 7:199–209
evoked response 4:81–87
narcotic potency (mouse) 3:25–34
and respiratory behavior (rat) 3:85–94
solubility in blood 7:297–304
Arrhythmia
and drug therapy (review) 9:161–174
in the fetus (sheep) 10:299–309
and helium (cat, mouse, rat) 2:28–34; (cat) 4:381–389; 6:313–318
and hydrostatic pressure (dog) 9:241–253
and rate of pressure change (mouse) 6:241–249
spontaneous premature ventricular beats 6:313–318
Arterial blood gases
and venous emboli (dog) 1:207–220
and CO_2 exposure 6S:91–114
Arthralgia
during helium-oxygen dives 1:151–167
Ascent
and the middle ear 8:219–227
Aspirin
adjuvant drug therapy (review) 9:161–174
and helium (rat) 5:53–62
and platelets 2:233–249; 6:127–146
and saturation diving 2:233–249
Atelectasis
during immersion 10:39–44
Atmosphere exposure chamber
for pharmacological studies (rat) 8:69–74
Atropine
and the blood-brain barrier (rat) 9:233–240
and heart rate (rat) 1:281–290
and the sinus node (mouse) 6:27–39; (mouse) 6:241–249
Audiometry
survey of Navy divers 3:41–47
Autonomic nervous system
and hydrostatic pressure (mouse) 3:303–320; (mouse) 6:241–249
and saliva 6:303–307
Bacteria
growth 5:189–198; (fish) 7:95–106
and hyperbaric stress (mouse) 4:67–73; (mouse) 8:23–31
skin disinfection 8:239–243; 10:115–122
Barodontalgia, *see* Teeth
Barotrauma
disorientation 2:311–314
eustachian tube 9:37–43
hearing loss 10:131–134
in lungs (hamster) 9:21–35
Behavior
and helium-oxygen 1:353–361; 3:205–216
and cold water 4:103–116
study (mouse) 3:57–62
Bends, *see* Decompression sickness
Biological rhythms, *see* Circadian rhythms
Blood-brain barrier, *see* Brain
Blood cell
and aspirin 6:127–146
in asymptomatic dives 4:325–331; 8:187–198
and carbon monoxide 6S:49–56
and decompression (review) 1:117–150; (fish) 3:273–281
hemoglobin-oxygen equilibrium 1:29–43
hemolysis 3:151–155
and multiday exposures 10:349–358
in saturation dives 2:251–265; 6:127–146
in submariners 6S:191–199
thrombocytes (fish) 3:273–281
Blood coagulation
in asymptomatic dives 4:325–331
in decompression (review) 1:117–150; (fish) 2:267–276; (fish) 3:273–281
Blood flow
bone (dog) 4:169–182
and cold 8:41–49
in fetus (sheep) 10:299–309
organ 5:71–85; (rat) 7:47–60
spinal cord (dog) 9:185–201
testicular (rat) 5:355–361
Blood platelet
antiplatelet drugs 2:233–249
and aspirin 6:127–146
in asymptomatic divers 8:187–198
and decompression (review) 1:117–150; (fish) 3:273–281
kinetics (rat) 4:147–157
and saturation diving 2:233–249; 2:251–265
Blood pressure
and drug therapy (review) 9:91–111
and dyspnea 4:183–198
in the fetus (sheep) 10:299–309
and heliox 2:101–118
and helium breathing (rat) 1:271–280
and inadequate decompression (dog) 4:169–182
and liquid ventilation (cat) 8:229–238
in submariners 6S:201–215
and venous air embolism (dog) 1:207–220
Body temperature
and bubble production 8:41–49
and circadian cycles 6S:81–90

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

and convulsion threshold (rat) 6:367–377
in a dry saturation dive 2:101–118; 4:221–246
and helium-oxygen environments 2:51–67; 2:101–118; 5:213–231; (guinea pig) 7:27–34; 7:225–239; 9:81–90
and the high pressure nervous syndrome (rat) 3:139–150
during immersion 3:177–187; 5:37–52
liquid-ventilation (dog) 5:341–354; (hamster) 10:1–10
and performance 2:75–88
and regional skin temperature 9:59–74
and salicylate (rat) 1:83–89
in surfers 5:377–390
and testicular blood flow (rat) 5:355–361
thermal flux transducers 9:213–231
and trimix (rat) 6:367–377
and urine excretion 9:321–333
Bone
aseptic necrosis 5:25–36
cysts 10:63–68
and ferritin (rabbit) 4:75–79
inadequate decompression (dog) 4:169–182
and kidney calcification (guinea pig) 6S:143–153; (guinea pig) 6S:155–161
and long-term helium-oxygen (rat) 3:361–368
osteonecrosis (mouse) 3:67–83; (rabbit) 4:75–79
and platelet kinetics (rat) 4:147–157
proteoglycan clearance (rat) 7:241–245
radiographs 9:147–159
Bradycardia
and breathing apparatus 3:217–234
and hydrostatic pressure (rabbit) 4:347–358; (review) 9:353–396
and rate of pressure change (mouse) 6:241–249
thermal and apneic conditions 5:9–14
Brain
blood-brain barrier (rabbit) 4:117–129; 6:319–328; (rat) 9:233–240
convulsion threshold (rat) 6:367–377
edema 9:283–296
electroencephalogram 4:131–145; (rat) 9:255–261
embolism 9:75–80; 9:283–296
evoked potential 10:107–114
glucose (mouse) 5:87–93
and high pressure nervous syndrome (review) 1:1–28
lesions (goat) 5:275–286
oxygen effects (mouse) 5:87–93; (rat) 6:167–174; (rat) 6:367–377; 9:75–80; (rat) 9:263–275
seizures (rat) 6:167–174
stimulation (rat) 3:369–378
temperature (guinea pig) 7:27–34
thiamin status (rat) 2:89–100
Breath-hold diving
diving reflex 5:9–14
and heart rate 2:11–19
Korean women divers 10:203–215
and ventricular function 3:351–360
Breathing apparatus
and respiratory function 3:217–234
Bubble
in decompression sickness (gel) 1:169–174; 6:99–107; (rat) 8:101–111; (fish) 8:199–208
formation (gel) 1:169–174; (fish) 3:321–338; (liquid) 4:97–102; (fish) 8:199–208
in gels 1:169–174; 6:93–98; 9:45–57
imaging system (instrument) 6:197–207
method for study of threshold (liquids) 4:97–102
model (fish) 3:321–338; 8:199–208
production (gel) 6:93–98; (goat) 6:109–125; 8:41–49
staining (rat) 8:101–111
and supersaturation (apparatus) 2:141–149
and tissue properties (model) 2:185–194
ultrasound detection 10:17–22
vascular bubbles (guinea pig) 2:42–50
Calcium
and exposure to CO_2 6S:57–70; 6S:115–134; (guinea pig) 6S:155–161
and kidney calcification (guinea pig) 6S:143–153; (guinea pig) 6S:155–161
and submariners 6S:57–70; (review) 6S:71–80
and synaptic efficiency (*Aplysia*) 8:175–183
Capillary
blood-brain barrier (rabbit) 4:117–129
drug therapy and blood capillaries (review) 9:91–111
gauge for altitude decompression (device) 3:399–402
pulmonary capillary blood volume 10:331–342
Carbon dioxide
and diaphragm muscle (rat) 1:291–301
and dyspnea 4:183–198
and exercise 3:95–102; 6:259–290; 7:17–26; 8:147–161; 10:241–254
and exercise tolerance 3:95–102
exposure limits 6S:91–114
gas-phase diffusivity (calculation) 9:175–181
and high pressure nervous syndrome (review) 1:1–28
and immersion 3:49–56; 6:259–290
intermittent exposure 6S:115–134
kidney calcification (guinea pig) 6S:143–153; (guinea pig) 6S:155–161
in liquid ventilation (review) 1:259–269; (dog) 5:341–354; (cat) 8:75–83
and loss of consciousness 5:179–187
and narcosis 5:391–400
and oxygen exposure 6:347–356; (rat) 9:15–20
and pneumocyte II cells (guinea pig) 6S:135–142
and respiratory behavior (rat) 3:85–94
sensitivity 8:209–217
solubility in fluorocarbon (emulsion) 3:113–120

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

and static lung loading 6:259–290
and submariners 6S:49–56; 6S:57–70; (review) 6S:71–80
Carbon monoxide
and alveolar macrophages (guinea pig) 5:15–23
diffusing capacity during immersion 3:49–56
and saturation diving 1:197–201
in submariners 6S:49–56
Cardiac output
in a dry saturation dive 4:267–281
and hyperoxia (dog) 10:123–129
during immersion 5:37–52
instrumentation (cat) 8:75–83
and venous air embolism (dog) 1:207–220
Cardiovascular function
and breathhold 3:351–360
cardiopulmonary resuscitation 7:141–148
in a dry heliox saturation dive 2:101–118
of the fetus (sheep) 10:299–309
in helium (rat) 1:271–280
in hyperoxia (dog) 10:123–129
during immersion 3:177–187
risk factors 6S:201–215
and smooth muscle activating factor (rat) 5:129–135
smooth muscle and decompression sickness (rat) 5:129–135; (mouse) 7:321–329
Cartilage
metabolism (rat) 7:241–245
Catecholamine
in decompression sickness (review) 1:117–150
in a dry heliox saturation dive 2:101–118
in helium (cat) 1:271–280
in immersion 5:37–52; 10:95–106
Cavitation
and joints 1:151–167
in gels 6:93–98
and the spinal cord (rat) 7:305–320
and a bubble formation model (fish) 8:199–208
Cell
and asymptomatic dives 4:325–331; 8:187–198
alveolar macrophage (guinea pig) 5:15–23
blood cell (fish) 3:273–281
cardiac conduction (rabbit) 7:211–223
chamber for cell studies (device) 8:51–58
compression-decompression (review) 1:117–150
gas-pressure interactions (review) 9:353–396
hyperbaric chamber vs. open-sea diving 2:251–265
intracellular oxidation reduction (rabbit) 7:191–197
nerve membrane (crayfish) 6:47–53
platelet (rat) 4:147–157; 6:127–146
pneumocyte II (guinea pig) 6S:135–142
red blood cell 1:29–43; 3:151–155; 6S:49–56; 10:349–358
renal transport (rabbit, rat) 10:157–168
separation (method) 8:59–62
Central nervous system
high pressure nervous syndrome (review) 1:1–28; (mouse) 1:59–72
and trimix 9:1–14; 9:335–351; 10:169–192
Cholesterol
and multiday exposure 10:349–358
in saturation dives 2:233–249; 6:127–146
in submariners 6S:191–199; 6S:201–215
Chokes airways, *see* Dynamic airway compression
Circadian rhythms
and adrenal function (mouse) 6:155–166
and CO_2 exposure 6S:91–114
in heliox 2:101–118; 7:225–239
and narcotic potency (mouse) 3:25–34
in submariners 6S:81–90
Circulation
arrhythmia (cat, mouse, rat) 2:28–34
and gas elimination 3:379–385
and hyperoxia (dog) 8:137–145; (dog) 10:123–129
and intrathoracic blood pooling 2:133–140
and liquid ventilation (cat) 8:229–238
long-bone regional blood flow (dog) 4:169–182
organ blood flow (rat) 7:47–60
and positive-pressure breathing 3:163–169
and renin (dog) 8:137–145
Coagulation
asymptomatic dive 4:325–331
decompression sickness (review) 1:117–150
rapid decompression (fish) 2:267–276
thrombocytes (fish) 3:273–281
Cocaine
drug metabolism (rat) 10:321–329
Cognitive performance, *see* Performance
Cold
and catecholamines 10:95–106
and decompression sickness 5:363–367
and the diving reflex 5:9–14
and helium-oxygen 5:213–231
and inert gas (rabbit) 5:149–158
and performance 2:75–88; 2:195–213; 4:103–116
and a saturation dive 4:267–281
skin temperature 10:29–37
and surfers 5:377–390
tolerance time 9:81–90
and venous gas bubbles 8:41–49
Compressed air sickness, *see* Decompression sickness
Compression rate
and convulsion threshold (rat) 4:403–408
and trimix 9:335–351
Conditioning
combined effects of O_2 and N_2 (rat) 1:363–370
modification of operant performance (pigeon) 1:181–188
and nitrogen narcosis (rat) 3:249–259

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Confinement
and vision 6S:163–173
and attitude 6S:175–189
Convulsion
and compression rate (rat) 4:403–408
diazepam (guinea pig) 7:1–9
and electroencephalogram (rat) 4:391–402
and heliox (mouse) 1:239–250
and the high pressure nervous syndrome (review) 1:1–28; (mouse) 1:59–72; (rat) 3:139–150; (rat) 4:391–402; (mouse) 10:281–298
and inert gas (review) 9:353–396
and motor disturbances (mouse) 4:1–8
and oxygen (cat, mouse) 5:253–257; (rat) 6:167–174; (rat) 6:367–377; (rat) 9:15–20
and saturation diving 2:251–265
threshold (rat) 4:403–408; (rat) 6:367–377
Counterdiffusion, *see* Diffusion
Cyanide
and oxygen (rabbit) 7:191–197
Decompression
at altitude 3:1–23; 3:189–204; 3:399–402; 4:39–53
basic parameters (fish) 7:199–209
bubbles (gel) 1:169–174; (guinea pig) 2:42–50; (model) 2:185–194; (fish) 3:321–338; (liquid) 4:97–102; (gel) 6:93–98; 6:99–107; (goat) 6:109–125; 6:197–207; (rat) 7:107–112; 8:41–49; (rat) 8:101–111; (rat) 8:199–208; (gel) 9:45–57; 10:17–22
and gels 1:169–174; 6:93–98; 6:175–188; 9:45–57
and helium 2:277–284; (5 mammals) 4:373–380; 5:159–177
and intravascular gas emboli (dog) 8:163–170
and joint crepitation 4:89–94
and mechanical properties of tissue 2:185–194
and nitrogen 2:285–297; 5:243–252; 9:113–129
and oxygen 2:277–284; (rat) 6:231–239; (rat) 6:379–384; 10:217–224
and plasma volume (dog) 3:157–161
schedules (gel) 6:93–98; 6:217–229; (rat) 6:379–384; (gel) 9:45–57
and semicircular canal fractures (monkey) 10:225–240
and skin antisepsis 10:115–122
stage (rat) 3:261–271; (rat) 5:119–128
and thrombocytes (fish) 3:273–281
and trimix (rat) 5:233–242; 9:335–351
Decompression sickness
and adrenal function (mouse) 6:155–166
and blood (review) 1:117–150; 2:251–265; 6:127–146
and blood-bubble interface (rat) 8:101–111
and brain (rabbit) 4:117–129; (goat) 5:275–286; (rabbit) 6:319–328; (rat) 9:233–240; 9:277–280
and bubble formation threshold (liquid) 4:97–102
categories 9:277–280
and cerebral edema 9:283–296
and circulating bubbles 6:99–107
and cold injury 5:363–367
and cyproheptadine (mouse) 7:321–329
and deep excursion dives 7:127–139
Doppler monitoring 10:217–224
and drug therapy (review) 9:91–111; (review) 9:161–174
and the fetus (sheep) 5:287–292; (hamster) 9:297–304; (sheep) 10:299–309
and gas emboli (dog) 1:207–220; (dog) 8:163–170
and gas nuclei (gel) 6:175–188; (rat) 7:107–112
and isobaric diffusion (goat) 6:109–125
and liquid-breathing (hamster) 10:1–10
and long-bone blood flow (dog) 4:169–182
model (kangaroo rat) 5:309–321; (fish) 8:199–208; (dog) 9:185–201
and osteonecrosis 4:409–417; 5:137–147
and oxygen (rat) 6:231–239; (hamster) 9:297–304; 10:217–224
and platelets (rat) 2:167–172; (rat) 4:147–157; 6:127–146
pressure-reduction limit (rat) 3:261–271; (rat) 5:119–128; (rat) 5:323–334
prevention (gel) 1:169–174; 9:277–280
probabilistic nature (mouse) 1:189–196
and saturation dives 3:387–398
and smooth-muscle activating factor (rat) 5:129–135
species differences (6 mammals) 6:1–13
spinal (goat) 5:275–286; (dog) 9:185–201
treatment 3:387–398
type I (kangaroo rat) 5:309–321
and ultrasound monitoring 3:121–130; 10:17–22
and vascular bubbles (guinea pig) 2:42–50
vestibular (review) 1:73–81
Decompression table
altitude 3:1–23; 3:189–204; 3:399–402; 4:39–53
and gas-loading 1:175–179
and the square-root principle 6:357–365
Deep diving
and the high pressure nervous syndrome 1:221–237
and performance 3:205–216
and gas characteristics 9:305–314
Density, gas
and pulmonary mechanics 2:1–10; 6:339–346
and speed of sound (calculation) 2:305–310
Dentin, *see* Teeth
Diagnosis
and circulating bubbles 6:99–107
cold injury vs. decompression sickness 5:363–367
Doppler monitoring 10:217–224
ruthenium red staining of blood-bubble interface (rat) 8:101–111
ultrasound and gas bubbles 3:121–130; 10:17–22

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Diffusion
counter diffusion (goat) 6:109–125
and decompression (gel) 6:175–188
of gases 6:251–258; 8:147–161; (calculation) 9:175–181; 10:255–264
gas-phase diffusivity (calculation) 9:175–181
in gel 6:175–188
and hyperbaric oxygen (rabbit) 2:68–69
isobaric (goat) 6:109–125
and liquid breathing (review) 1:259–269
pulmonary diffusing capacity 3:49–56; (rabbit) 4:117–129; 7:149–157
and pulmonary gas mixing 6:251–258
skin color and hyperbaric oxygen (rabbit) 2:68–69
Diving
and acoustic telemetry 1:99–109
altitude diving 3:189–204; 4:39–53
and bone problems (dog) 4:169–182; 5:25–36; 9:147–159; 10:63–68
and buoyancy 2:161–166
and cardiopulmonary resuscitation 7:77–94
diving reflex 5:9–14
and equivalent air depth (rat) 6:379–384
and the eustachian tube 1:343–351; 9:37–43
excursion dives 5:109–117; 7:127–139
excursion tables 5:159–177
and hearing loss 10:131–134
and loss of consciousness 5:179–187
no-stop diving 4:39–53; 6:357–365; 9:113–129
one-atmosphere diving system 9:203–212
and performance 1:353–361; 4:103–116; 4:297–305; 8:33–39; 9:203–212
repetitive dives 9:113–129
saturation diving 1:197–201; 2:233–249; 2:251–265; 3:235–247; 4:131–145; 4:211–220; 4:221–246; 4:247–265; 4:267–281; 4:283–296; 4:297–305; 4:307–314; 5:109–117; 5:159–177; 5:259–273; 6:127–146; 6:291–302; 9:315–319; 9:321–333; 10:255–264
scuba 2:11–19; 7:183–189; 10:311–320
and skin antisepsis 10:115–122
and speech 7:265–275
tables 1:175–179; 3:1–23; 3:189–204; 4:39–53; 5:159–177; 6:357–365
and thermal state 2:51–67; 2:75–88; (rat) 3:139–150; 5:9–14; 5:213–231; 7:225–239; 8:41–49; 9:59–74; 9:81–90; 10:29–37
with trimix 8:85–100; 9:1–14; 9:335–351; 10:169–192
Diving system
one-atmosphere 9:203–212
Doppler monitoring
in fetus (sheep) 5:287–292
and decompression sickness 6:99–107
and counter diffusion (goat) 6:109–125
and high O_2 10:217–224
Drowning
in-water resuscitation (letter) 8:63; (letter) 8:64–65; (letter) 8:65–66
Drug
amino-oxyacetic acid (cat, mouse) 5:253–257
antiplatelet agents 2:233–249
antipyretic effects (rat) 1:83–89; (rat) 5:53–62
and the blood-brain barrier (rat) 9:233–240
and decompression sickness (review) 1:117–150; (review) 9:91–111; (review) 9:161–174
diazepam (guinea pig) 7:1–9
digitalis (cat) 4:381–389
dipyridamole 6:127–146
dopamine and cyclic AMP (rat) 6:189–196
and enzyme activity (rat) 10:321–329
ketamine and thiopental (guinea pig) 6:329–338
lithium (rat) 7:11–16
naloxone and beta-endorphin (guinea pig) 10:89–93
and neuromuscular function (cat) 2:35–41; (frog) 5:199–208
salicylate (rat) 1:83–89
site of action of pressure (mouse) 8:1–11
sulfonamides (bacteria) 7:95–106
system for pharmacological studies (rat) 8:69–74
thiopentone (frog) 8:121–126
Dynamic airway compression
in sea lions 2:20–27
in dense gas 1:45–58; 6:339–346; 8:147–161; 10:255–264
Dysbaric osteonecrosis, *see* Bone
Dyspnea
mechanical origin 4:183–198
and static lung loading 6:259–290
Ear
audiometric survey of Navy divers 3:41–47
barotrauma 2:311–314; 10:131–134
clearing 2:161–166
disorientation 2:311–314
eustachian tube function 4:9–18; 9:37–43
hearing loss 10:131–134
pressure equilibration 8:219–227
sound localization 2:173–184
vertigo 1:251–258; 1:309–323; 3:403–410
ECG, *see* Electrocardiogram
Edema
and arterial gas embolism 9:283–296
EEG, *see* Electroencephalogram
Electrocardiogram
and apnea 4:27–37
and excitation-contraction coupling (cat) 9:131–145
and hyperbaric oxygen (rat) 9:263–275
by telemetry 1:99–109
Electroencephalogram
in air at 7 ATA 4:55–66
and compression rate (rat) 4:403–408

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

and convulsion threshold (rat) 4:403–408; (rat) 6:367–377
and evoked response 4:55–66; 4:81–87; 4:131–145
and inert gas narcosis 4:81–87
and the high pressure nervous syndrome (review) 1:1–28; 1:221–237; (rat) 3:139–150; (rat) 4:391–402; 6:367–377; 7:77–94
and hyperbaric oxygen (rat) 9:263–275
and rapid compression 7:77–94
and saturation dives 4:131–145; 5:109–117
and temperature alteration (rat) 3:139–150
and thiopental (rat) 9:255–261
and trimix 1:221–237; 7:77–94; 9:1–14; 10:169–192
Electrolytes
and a 10-day dry heliox saturation dive 2:119–131
and a 17-day dry saturation dive 4:247–265
and antiarrhythmic effect of helium 6:313–318
and decompression sickness (review) 1:117–150
exposure to high inspired CO_2 6S:91–114
and hypercapnia 6S:15–47
kidney calcification (guinea pig) 6S:155–161
urinary excretion 6:291–302
Electron microscopy
of blood-bubble interface (rat) 8:101–111
Embolism
cardiovascular effects in fetus (sheep) 10:299–309
and cerebral edema 9:283–296
and circulatory responses (dog) 1:207–220
size of emboli (dog) 8:163–170
therapy 9:75–80
Endocrine function, *see* Hormone
Endorphin
and nitrogen narcosis (guinea pig) 8:171–174
and tremor (guinea pig) 10:89–93
Enzyme activity
cytochrome P-450 synthesis (mouse) 7:161–170
in liver (rat) 10:321–329
and thiamin status (rat) 2:89–100
Epilepsy
and the high pressure nervous syndrome (rat) 4:391–402; (rat) 5:63–70
Equilibration
of middle ear 8:219–227
Erythrocyte
in asymptomatic dives 4:325–331; 8:187–198
and carbon monoxide 6S:49–56
and decompression (review) 1:117–150
and exposure to CO_2 6S:91–114
hemoglobin-oxygen equilibrium 1:29–43
hemolysis 3:151–155
in hypercapnia 6S:15–47
membrane structure 6:41–45
and oxygen toxicity (rabbit, chicken) 5:1–8
properties after hyperbaric exposure 10:349–358
in saturation diving 2:233–249
separation 8:59–62
Ethanol, *see* Alcohol
Etiology
adrenal function and decompression sickness (mouse) 6:155–166
alveolar P_{CO_2} and hypercapnia 7:17–26
arthralgia 1:151–167
atelectasis 10:39–44
bacteremia (mouse) 4:67–73
barodontalgia (rat) 10:23–28
bone blood flow (dog) 4:169–182
bone cysts 10:63–68
cardiovascular risk factors 6S:201–215
central nervous system 9:1–14; 10:169–192
cerebral edema 9:283–296
convulsion threshold (rat) 4:403–408
decompression sickness (goat) 5:275–286; 5:363–367; 6:175–188
diving accident management 6:209–216
dysbaric osteonecrosis (mouse) 3:67–83; (rabbit) 4:75–79; 5:137–147
dyspnea 4:183–198
hearing loss 10:131–134
high pressure nervous syndrome (review) 1:1–28
hydrostatic pressure effects (rabbit, rat) 4:347–358; (dog) 9:241–253; (review) 9:353–396
hypercapnia 7:61–74
inert gases interactions (review) 9:353–396
of loss of consciousness 5:179–187
of middle ear barotrauma 2:311–314
narcosis 5:391–400; 7:35–46
of osteonecrosis (mouse) 3:67–83; (rabbit) 4:75–79; 4:409–417; 5:137–147
of oxygen seizures (cat, mouse) 5:253–257; (rat) 6:167–174
redistribution of bubbles (guinea pig) 2:42–50; (rat) 6:167–174
semicircular canal fractures (monkey) 10:225–240
spinal decompression sickness (dog) 9:185–201
of tremor (guinea pig) 5:301–307; (guinea pig) 5:335–340; (guinea pig) 10:89–93
of vertigo 1:251–258; 1:343–351
of vestibular disorders (review) 1:73–81
Eustachian tube
and immersion 4:9–18
remediable dysfunction 9:37–43
and vertigo 1:343–351
Evoked potential
and inert gas narcosis 4:81–87
latency 10:107–114
synaptic efficiency (*Aplysia*) 8:175–183
visual 4:55–66; 4:131–145
Excursion dives
and psychological performance 3:339–349
tables 4:39–53; 5:159–177; 6:357–365

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Exercise
alveolar P_{CO_2} 7:17–26
and breath effectiveness 8:147–161
and immersion 3:177–187; 6:259–290
maximal voluntary ventilation 1:45–58; 10:241–254
and oxygen toxicity 9:315–319
tolerance 3:95–102
Exertion
10-day dry heliox saturation dive 2:101–118
17-day dry saturation dive 4:283–296
and alveolar P_{CO_2} 7:17–26
bicycle ergometer for under water 1:335–342
and breathing apparatus 3:217–234
and calcium metabolism (review) 6S:71–80
and CO_2 exposure 6S:91–114
and CO_2 insensitivity 8:209–217
cycling exercise 3:177–187
and dyspnea 4:183–198
exercise tolerance 3:95–102
and growth hormone 1:91–98
and lung function 10:255–264
maximal physical-work capacity 4:359–372
maximal voluntary ventilation 10:241–254
and oxygen exposures 6:347–356
oxygen uptake 4:283–296; 10:77–87
physiological monitoring 5:293–300
and static lung loading 6:259–290
Eye
and vertigo 3:403–410
vestibulo-ocular reflex 3:103–112
Face immersion
and left ventricular activity 4:27–37
Fat, *see* Adipose tissue and Obesity
Fatigue
and a 14-day He-O_2 open-sea saturation dive 5:109–117
and critical flicker frequency 3:235–247
Female
breath-hold divers (Korean women) 10:203–215
pregnancy and decompression (sheep) 10:11–15
scuba 7:183–189
Fetus
decompression sickness (sheep) 10:299–309
development (hamster) 9:297–304
well-being (sheep) 5:287–292; 7:183–189; (hamster) 9:297–304; (sheep) 10:11–15; (sheep) 10:299–309
Flow limitation, *see* Dynamic airway compression
Fluid breathing, *see* Liquid breathing
Fluorocarbon
and gas nuclei (rat) 7:107–112
liquid ventilation (review) 1:259–269; (dog) 5:341–354; (cat) 8:75–83; (hamster) 10:1–10
solubility (emulsion) 3:113–120
Gas elimination
and fat 3:163–169; 3:379–385
helium 2:277–284
nitrogen 2:285–297
and counter diffusion (goat) 6:109–125
and cold 8:41–49
Gastrointestinal disease
and aerophagia 2:155–160
and bacteria (mouse) 8:23–31
in submariners 6S:217–246
Gel
bubbles 6:93–98; 9:45–57
Growth
of bacteria 5:189–198; 7:95–106
of bone growth (rat) 3:361–368
of endocrine organs (rat) 4:317–323
effect of gases and pressure (review) 9:353–396
fetal (hamster) 9:297–304
and glucose 1:325–334
growth hormone 1:91–98
skeletal (rat) 3:361–368
Habitat
and air decompression tables 4:39–53
for high pressure exposure of animals (mouse) 3:57–62
Head-out immersion, *see* Immersion
Hearing
audiometric survey of Navy divers 3:41–47
epidemiologic study 1:251–258
and health profiles of Navy divers 10:45–61
hearing loss 10:131–134
inner ear barotrauma 10:131–134
performance decrements 1:353–361
sound localization 2:173–184
Heart
10-day dry heliox saturation dive 2:101–118
17-day dry saturation dive 4:267–281; 4:283–296
and acute hyperoxia (dog) 10:123–129
and apnea 3:351–360; 4:27–37
and cold 4:103–116; 5:377–390; 8:41–49
and decompression sickness (dog) 1:207–220; (6 mammals) 6:1–13; (sheep fetus) 10:299–309
and ethanol 6:15–25
excitation-contraction coupling (cat) 9:131–145
and exercise 3:95–102; 3:177–187; 6:259–290
and head-out immersion 5:37–52
and helium (rat) 1:281–290; (cat, mouse, rat) 2:28–34
and hydrostatic pressure (mouse) 3:303–320; (rabbit) 7:211–223; (rat) 8:113–120; (dog) 9:241–253
and hyperbaric oxygen (rat) 9:263–275
and liquid-breathing (mouse) 3:303–320; (hamster) 10:1–10
and maximal physical-work capacity 4:359–372
and a one-atmosphere diving system 9:203–212
and oxygen uptake estimation 10:77–87
and pressure change rate (mouse) 6:241–249
and scuba 2:11–19
and static lung loading 6:259–290

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

surfers 5:377–390
and water immersion 3:177–187
Heart rate
and bone blood flow (dog) 4:169–182
and cold water 4:103–116; 5:377–390
and decompression (dog) 1:207–220; (6 mammals) 6:1–13
and dyspnea 4:183–198
and ethanol 6:15–25
and excitation-contraction coupling (cat) 9:131–145
in exercise 3:95–102; 3:177–187; 6:259–290
in fetus (sheep) 10:299–309
and helium (rat) 1:281–290; (cat, mouse, rat) 2:28–34; (mouse) 6:27–39
and hydrostatic pressure (mouse) 3:303–320; (rat) 8:113–120; (dog) 9:241–253
in hyperbaric oxygen (rat) 9:263–275
in hyperoxia (dog) 10:123–129
during immersion 3:177–187; 4:27–37; 5:37–52; 6:259–290
during liquid ventilation (mouse) 3:303–320; (hamster) 10:1–10
and maximal physical-work capacity 4:359–372
and nitrous oxide (mouse) 6:27–39
in a one-atmosphere diving system 9:203–212
for oxygen uptake estimation 10:77–87
and performance of tasks 4:103–116; 9:203–212
and rate of pressure change (mouse) 6:241–249
in saturation dives 2:101–118; 4:267–281
in scuba divers 2:11–19
and venous air embolism (dog) 1:207–220
Heat
and cold (rabbit) 5:149–158
heat flow transducers 7:249–256
and inert gas exchange (rabbit) 5:149–158
in saturation dives 9:321–333
Heliox, *see* Helium-oxygen
Helium
and a 17-day dry saturation dive at 18.6 ATA 4:211–220; 4:283–296
and anesthetics 6:41–45
antiarrhythmic effect 6:313–318
and antipyretic action of aspirin (rat) 5:53–62
and arrhythmia (cat, mouse, rat) 2:28–34; (cat) 4:381–389
and arthralgia 1:151–167
and carboxyhemoglobin 1:197–201
and the central nervous system 9:1–14; 10:169–192
and cerebellar ablation (rat) 5:63–70
and cold 9:81–90
compressibility 9:305–314
and compression rate 9:335–351
and convulsions (rat) 6:367–377
and critical flicker frequency 3:235–247
and decompression 2:277–284; 2:285–297; (rat) 5:233–242; 6:357–365; (fish) 7:199–209
and diaphragm muscle (rat) 1:291–301
and dyspnea 4:183–198
elimination 2:277–284; 2:285–297; (5 mammals) 4:373–380; 5:243–252
and endocrine organs (rat) 4:317–323
and evoked responses 4:81–87
and fecal flora (mouse) 8:23–31
gas-phase diffusivity (calculation) 9:175–181
and glucose homeostasis 1:325–334
and growth hormone 1:91–98
and heart rate (rat) 1:281–290
and heat flow transducers 7:249–256
hemoglobin-oxygen equilibrium 1:29–43
and hemolysis 3:151–155
and the high pressure neurological syndrome (review) 1:1–28; 1:221–237; 2:299–303; (rat) 3:139–150; (rat) 5:63–70; (guinea pig) 5:95–104
interaction with other gases (bacteria) 5:189–198; (review) 9:353–396
isobaric counter-equilibrium (goat) 6:109–125
and the knee-jerk reflex 6:55–74
and liver function (rat) 10:321–329
and membrane structure 6:41–45
and motor dysfunction (mouse) 4:1–8
and neurological function (mouse) 1:59–72; (mouse) 1:239–250; (rat) 6:189–196
and neuromuscular function (cat) 2:35–41; (frog) 4:159–168; (frog) 5:199–208
and nitrogen elimination 2:285–297; 5:243–252
and nitrogen narcosis (rat) 3:249–259
and nitrous oxide (bacteria) 5:189–198; (mouse) 6:27–39
and performance (pigeon) 1:181–188; 1:353–361; (rat) 1:363–370; 3:205–216
and rapid compression 7:77–94
and renal transport (rabbit, rat) 10:157–168
and respiratory behavior (rat) 3:85–94
and saturation diving 1:197–201; 3:235–247; 4:211–220; 4:283–296; 5:109–117; 5:159–177
and sinus node (mouse) 6:27–39
sites of action (mouse) 8:1–11
skeletal growth (rat) 3:361–368
and skin temperature 9:59–74; 10:29–37
and sleep 5:109–117; (guinea pig) 6:329–338
solubility in blood 7:297–304
and speech 7:265–275
and the sympathetic nervous system (rat) 1:271–280
and synapse function (squid) 4:19–26
tables 5:159–177; 6:357–365
and temperature (rat) 3:139–150; (guinea pig) 7:27–34; 10:29–37
thermal measurements 2:51–67; 5:213–231
tolerance time 9:81–90; (mouse) 10:281–298
tremor 2:215–222; (guinea pig) 5:95–104
and voice 4:199–207

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Helium-oxygen
and antipyretic drugs (rat) 5:53–62
and arrhythmia effects 6:313–318
and arthralgia 1:151–167
and body temperature 7:225–239
compressibility 9:305–314
and enzyme activity (rat) 10:321–329
and fatigue 3:235–247
and glucose metabolism 1:325–334
long-term exposure (rat) 3:361–368
neurologic effects (mouse) 1:239–250; 9:1–14; 10:169–192
and performance 3:205–216
in a saturation dive 2:101–118; 2:119–131; 4:211–220
and sleep (guinea pig) 6:329–338
and speech 7:265–275
tables 5:159–177
and thermal effects 2:51–67; 5:213–231; 9:81–90
and tremor 2:215–222; (guinea pigs) 5:335–340
and voice 4:199–207
Hematocrit
and asymptomatic dives 4:325–331; 8:187–198
and saturation dives 6:127–146; 9:321–333
and submarine patrols 6S:49–56
and testicular blood flow (rat) 5:355–361
Hematology
and CO_2 exposure 6S:91–114
in saturation dives 2:233–249; 2:251–265; 6:127–146
Hemoglobin
carboxyhemoglobin 1:197–201
and inert gas 1:29–43
and skin color (rabbit) 2:68–69
Hemolysis
and high pressure 3:151–155
High pressure nervous syndrome, *see* High pressure neurological syndrome
High pressure neurological syndrome
antagonism by a narcotic gas (mouse) 1:59–72; 2:299–303
and cerebellar ablation (rat) 5:63–70
and compression rate (rat) 4:403–408; 7:77–94; 8:85–100; 9:335–351
and convulsion threshold (rat) 4:403–408; (rat) 6:367–377
and cyclic AMP (rat) 6:189–196
electroencephalogram (rat) 4:391–402
heart rate (mouse) 3:303–320
and lithium (rat) 7:11–16
measurement of tremor (guinea pig) 5:301–307
and nitrogen addition (mouse) 10:281–298
prevention (review) 1:1–28
suppression 1:221–237
and temperature (rat) 3:139–150
and tremor 2:215–222; (guinea pig) 5:95–104; (guinea pig) 5:301–307
and trimix 8:85–100; 9:335–351
Homeostasis
of glucose 1:325–334
thermal 2:51–67
Hormones
and decompression (review) 1:117–150; (mouse) 6:155–166; (review) 9:161–174
growth hormone and helium 1:91–98
parathyroid-calcitonin 6S:57–70
HPNS, *see* High pressure neurological syndrome
Humidity
in heliox 7:225–239
Hydrogen
and high pressure neurological syndrome (mouse) 1:59–72
interaction with other gases (review) 9:353–396
Hydrostatic pressure
and anesthetics 6:41–45; (mollusk) 6:75–91
and atrial muscle (rat) 8:113–120
and bubble formation (method) 4:97–102
and cardiac function (guinea pig) 4:347–358; (rabbit) 7:211–223; (dog) 9:241–253
and cells 8:59–62
compression rate (rat) 4:403–408
electroencephalogram (rat) 4:391–402; (rat) 9:255–261
and eustachian tube function 4:9–18
and the high pressure neurological syndrome (review) 1:1–28; 1:221–237; (rat) 4:391–402
interaction with gases (mollusk) 6:75–91; (review) 9:353–396
and lithium (rat) 7:11–16
and lung function 5:71–85; 6:259–290
and membrane structure 6:41–45
and portal vein activity (rat) 7:171–181
and pressure reduction limits (rat) 5:323–334
and sinus node (mouse) 6:27–39; (mouse) 6:241–249
and solubility of O_2 in water 6:147–154
and tissues and cells (chamber) 8:51–58
and transmitter release (*Aplysia*) 8:175–183
and tremor (guinea pig) 5:335–340
Hyperbaric diuresis, *see* Kidney and Urine
Hyperbaric oxygen
and acetazolamide (rat) 9:15–20
and antidiuresis (dog) 7:113–126
and cerebral gas embolism 9:75–80; 9:283–296
and corneal incision healing (dog) 5:369–375
and cyanide intoxication (rabbit) 7:191–197
and cytochrome P-450 synthesis (mouse) 7:161–170
and diving accident treatment 6:209–216
and fetal development (hamster) 9:297–304
and glucose (mouse) 5:87–93
and heart, brain, and lung (rat) 9:263–275
and neuromuscular function (frog) 5:199–208
and operant performance (rat) 1:363–370
peripheral circulatory response (dog) 10:123–129

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

and pulmonary function (chicken, rabbit) 5:1–8; 7:149–157
and renin release (dog) 8:137–145
and saliva 6:303–307
seizures (cat, mouse) 5:253–257; (rat) 6:167–174
and skin color (rabbit) 2:68–69
and sodium transport (toad) 4:333–345
and spinal cord transections (rat) 7:305–320
and sulfonamides (fish) 7:95–106
Hypercapnia
divers vs nondivers 7:17–26
breathing apparatus effects 3:217–234
and loss of consciousness 5:179–187
and occlusion-pressure responses 7:61–74
and submariners 6S:15–47
Hypothalamus
and brain stimulation (rat) 3:369–378
Hypothermia
wet suit diving (Korean women divers) 10:203–215
Hypoventilation
divers vs. nondivers 7:17–26
in dense-gas environments 10:255–264
Imaging
of osteonecrosis 5:137–147
ultrasonic 6:197–207
Immersion
and atelectasis 10:39–44
and bicycle ergometer system 1:335–342
and body temperatures 7:225–239
and catecholamine levels 10:95–106
and the diving reflex 5:9–14
and eustachian tube function 4:9–18
and helium elimination (5 mammals) 4:373–380
intrathoracic blood pooling 2:133–140; 5:71–85
left ventricular activity 4:27–37
and lung perfusion 3:49–56
and maximal cycling exercise 3:177–187
physiological monitoring system 5:293–300
physiological responses 5:37–52
and pulmonary air-trapping 2:133–140
and pulmonary capillary blood volume 10:331–342
and static lung loading 6:259–290
and thermoregulation 5:377–390
and ventilation 10:311–320
Immunology
and hyperbaric stress (mouse) 4:67–73
Insulin
in helium-oxygen atmospheres 1:325–334
Inert gas narcosis
causes (review) 1:1–28
evaluation of narcotic potency (mouse) 3:25–34
and evoked response 4:55–66; 4:81–87; 4:131–145
interactions of gases (review) 9:353–396
and lithium (rat) 7:11–16
and loss of consciousness 5:179–187
and nitrogen, oxygen, and carbon dioxide 5:391–400
and nitrous oxide 7:35–46
reversal (rat) 3:249–259
and trimix 10:169–192
and visual evoked responses 4:55–66; 4:131–145
Xe^{133} elimination 3:163–169
Infarct
and decompression sickness (goat) 5:275–286
Infection
pathogenic bacteria (fish) 7:95–106
skin disinfection 8:239–243
and submarine patrols 6S:217–246
Instrumentation
acoustic telemetry 1:99–109
for cardiac output (cat) 8:75–83
for cell studies 8:51–58; 8:59–62
chamber-based system for monitoring subjects 5:293–300
filtration assays 7:257–263
linear polarizing filter and vision 1:371–378
for mean skin temperature 10:29–37
for oxygen uptake 10:77–87
for pharmacological studies (rat) 8:69–74
skin antisepsis 10:115–122
ultrasonic imaging of gas bubbles 6:197–207
for ventilatory measurements 10:273–279
whole-body plethysmograph (rat) 10:135–145
Isobaric counterdiffusion, *see* Diffusion
Joint
arthralgia 1:151–167
circulating bubbles 6:99–107
crepitation 4:89–94
Kidney
and acid-base balance 6S:115–134
blood flow (rat) 7:47–60
calcification (guinea pig) 6S:143–153; (guinea pig) 6S:155–161
and calcium metabolism (review) 6S:71–80
and head-out immersion 5:37–52
PGE_2 (dog) 7:113–126
transport of electrolytes (rabbit) 10:157–168
K ion, *see* Potassium
Labyrinth
hearing loss 10:131–134
vestibular disorders (review) 1:73–81
Lactate
and arrhythmia 6:313–318
and saturation diving 2:233–249; 2:251–265
and thiamin status (rat) 2:89–100
Leukocytes
and asymptomatic divers 8:187–198
and decompression sickness (review) 1:117–150
Light
and underwater vision 1:371–378
Lipid
blood cells (review) 1:117–150; 10:349–358
and inert gases (review) 9:353–396

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

membrane structure 6:41–45
nerve membrane (crayfish) 6:47–53
phospholipid synthesis (rat) 8:13–21
Liquid breathing
advantages (review) 1:259–269
cardiac output measurement (cat) 8:75–83
and decompression (hamster) 10:1–10
gas exchange (dog) 5:341–354
heart function (mouse) 3:303–320
and pulmonary vascular resistance (cat) 8:229–238
and retained gas (rabbit) 8:131–136
Lithium
and nervous system effects (rat) 7:11–16
Liver
bacteremia (mouse) 4:67–73
blood flow (rat) 7:47–60
cytochrome P-450 synthesis (mouse) 7:161–170
enzyme activity (rat) 10:321–329
monoamine oxidase activity (rat) 3:131–137
Localization
of sound 2:173–184
Lung
blood-lung barrier (rabbit) 4:117–129
and breath-hold divers (Korean women divers) 10:203–215
and dense gas 6:251–258; 10:255–264
and diving accident management 6:209–216
elastase (hamster) 9:21–35
and head-out immersion 3:49–56; 5:37–52; 5:71–85
and hyperbaric oxygen (rat) 9:263–275
and intermittent exposure to oxygen 7:149–157
intrathoracic blood pooling 5:71–85
liquid filling (rabbit) 8:131–136
maximum expiratory flow 1:45–58; (sea lion) 2:20–27
and oxygen toxicity (chicken, rabbit) 5:1–8; 9:315–319
phospholipid synthesis (rat) 8:13–21
and platelet kinetics (rat) 4:147–157
pneumocyte II cells (guinea pig) 6S:135–142
protection against O_2 seizures (cat, mouse) 5:253–257
pulmonary capillary blood volume 10:331–342
saturation diver with O_2 toxicity 9:315–319
scanning electron microscopy (guinea pig) 3:283–299
static loading 6:259–290
ultrastructure and CO_2 (guinea pig) 6S:155–161
and vascular bubbles (guinea pig) 2:42–50
Mathematics
bubble formation model (fish) 8:199–208
isobaric diffusion (goat) 6:109–125
one-stage (no-stop) tables 6:357–365
regional skin temperature equations 9:59–74
single-tissue decompression schedules 6:217–229
species differences in decompression (6 mammals) 6:1–13
tables for no-stop diving 4:39–53
Measurement
of bubble formation threshold 4:97–102
capillary gauge for altitude decompression 3:399–402
of gas contaminants 7:257–263
and gas inertia 10:273–279
helium elimination 2:277–284; (5 mammals) 4:373–380
mean skin temperature 10:29–37
thermal regulation 5:213–231
of total dissolved gas pressure 2:141–149
of tremor (guinea pig) 5:301–307
Membrane
cardiac conduction (dog) 7:211–223
and cardiac muscle (dog) 9:241–253
and cardiac-pacemaker function (dog) 4:347–358
and corneal incision healing (dog) 5:369–375
and interactions of gases (mollusk) 6:75–91; (review) 9:353–396
and lipid fluidity (crayfish) 6:47–53
and neuromuscular transmission (frog) 4:159–168
and renal transport (rabbit, rat) 10:157–168
spin-probe study 6:41–45
squid giant synapse (squid) 4:19–26
and sympathetic nervous function (rat) 1:271–280
tympanic 4:9–18
Memory
and hyperbaric He-O_2 1:353–361
and nitrous oxide 7:35–46
and trimix 9:335–351
Metabolism
in a 10-day dry heliox saturation dive 2:101–118
in a 17-day dry saturation dive at 18.6 ATA 4:221–246
in a 4-day saturation dive at 4 ATA 9:321–333
blood-brain barrier permeability (rabbit) 6:319–328; (rat) 9:233–240
calcification (guinea pig) 6S:143–153; (guinea pig) 6S:155–161
calcium 6S:57–70; (review) 6S:71–80; 6S:115–134
cyanide intoxication (rabbit) 7:191–197
cyclic AMP (rat) 6:189–196
enzyme activity (rat) 10:321–329
glucose homeostasis 1:325–334; (mouse) 5:87–93
liver (rat) 10:321–329
monoamine oxidase (rat) 3:131–137
pharmacokinetics of compounds (rat) 10:193–201
phospholipid synthesis (rat) 8:13–21
platelet kinetics (rat) 4:147–157

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

proteoglycan clearance (rat) 7:241–245
renal transport (rabbit, rat) 10:157–168
and seizure mechanisms (rat) 6:167–174
study in small animals (rat) 8:69–74
and thiamin status (rat) 2:89–100
Model
altitude decompression 3:1–23
bubble formation model (fish) 8:199–208
bubble growth 2:185–194
fingerling salmon for decompression studies 7:199–209; 8:199–208
gel model for decompression studies 1:169–174; 6:175–188
pressure-reduction limits 3:261–271
regional skin temperature equations 9:59–74
single-tissue model 6:217–229
for spinal decompression sickness (dog) 9:185–201
thermal 2:51–67
for type I decompression sickness (kangaroo rat) 5:309–321
Monitoring
chamber-based system for human studies 5:293–300
Doppler 10:217–224
of the fetus (sheep) 10:299–309
ultrasound 3:121–130
Morphine
pharmacokinetics (rat) 10:193–201
and helium-oxygen (rat) 10:321–329
Motor skill
adaptability 5:259–273
central nervous system reactions 10:169–192
and deep compressions 3:205–216
and the high pressure nervous syndrome 1:221–237
and rapid compression 8:85–100
Muscle
diaphragm (rat) 1:291–301
excitation in heart (dog) 9:241–253
and He-O_2 (cat) 2:35–41
and high hydrostatic pressure (rat) 8:113–120
inert gas exchange (rabbit) 5:149–158
knee-jerk reflex 6:55–74
portal vein activity (rat) 7:171–181
smooth-muscle activating factor (rat) 5:129–135
Naloxone
and nitrogen narcosis (guinea pig) 8:171–174
and tremor (guinea pig) 10:89–93
Narcosis
causes, mechanisms and prevention (review) 1:1–28
and central nervous system reaction 10:169–192
and evoked responses 4:55–66; 4:81–87; 4:131–145
interactions of gases (review) 9:353–396
lithium effect (rat) 7:11–16
loss of consciousness 5:179–187
narcotic potency (mouse) 3:25–34
and nitrogen, oxygen, and carbon dioxide 5:391–400
nitrous oxide 7:35–46
reversal (rat) 3:249–259
Nausea
and aerophagia 2:155–160
and circulating bubbles 6:99–107
and the high pressure nervous syndrome (review) 1:1–28
Negative pressure breathing, *see* Respiration
Neon
and fingerling salmon (fish) 7:199–209
and inert gas narcosis 4:81–87
interactions of gases (review) 9:353–396
and the sinus node (mouse) 6:27–39
Nervous system disease
antagonism (mouse) 1:59–72; 2:299–303; (rat) 6:189–196
causes, mechanisms and prevention (review) 1:1–28
and cerebellar ablation (rat) 5:63–70
cyclic AMP (rat) 6:189–196
and gas contaminants 7:257–263
and latency of evoked potential 10:107–114
quantification of tremor (guinea pig) 5:95–104
rapid compression 7:77–94; 8:85–100; 9:335–351
suppression by N_2 1:221–237
and temperature (rat) 3:139–150
Neural transmission
and dopamine (rat) 6:189–196
and helium pressure (squid) 4:19–26; (frog) 4:159–168; (rat) 6:189–196
and hyperbaric pressures (frog) 5:199–208
Nitrogen
diffusivity (calculation) 9:175–181
elimination 2:285–297; 5:243–252
and the high pressure nervous syndrome 1:221–237; 2:299–303; (rat) 6:367–377; (rat) 7:11–16; 7:77–94; 9:335–351; (mouse) 10:281–298
isobaric counter-equilibration (goat) 6:109–125
and lithium (rat) 7:11–16
narcosis (rat) 3:249–259; 4:81–87; 5:391–400; (rat) 7:11–16
narcotic potency (mouse) 3:25–34
reversal of nitrogen narcosis (rat) 3:249–259
and suppression of the high pressure nervous syndrome (mouse) 1:59–72; (mouse) 10:281–298
Nitrous oxide
antagonism of high pressure nervous syndrome (mouse) 1:59–72
and bacterial growth (bacteria) 5:189–198
and memory 7:35–46
narcotic potency (mouse) 3:25–34
and the sinus node (mouse) 6:27–39

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

No-decompression dive
and cold stress 8:41–49
Noise
audiometric survey of Navy divers 3:41–47
Nucleation
evidence (rat) 7:107–112
Obesity
and Navy diver health 10:45–61
Operant performance
and pressure (pigeon) 1:181–188; (rat) 1:363–370; (rat) 3:249–259; (rat) 3:369–378
Orientation
and middle ear barotrauma 2:311–314
Osmotic pressure
and the high pressure nervous syndrome (review) 1:1–28
of red blood cells 10:349–358
Osteonecrosis
and bone blood flow (dog) 4:169–182
in fishermen 5:137–147
histopathology 4:409–417
in mice (mouse) 3:67–83
in Navy divers 5:25–36; 9:147–159
and serum ferritin (rabbit) 4:75–79
Oxygen in blood
and head-out water immersion 3:49–56
and high ambient pressure 7:47–60
and inert gases 1:29–43
and liquid ventilation (review) 1:259–269; (dog) 5:341–354; (cat) 8:75–83
Oxygen consumption
10-day dry heliox saturation 2:101–118
bicycle ergometer for underwater measurement 1:335–342
and breathing apparatus 3:217–234
and catecholamine levels 10:95–106
in cold water 5:377–390
and dyspnea 4:183–198
estimation from heart rate 10:77–87
and exercise 3:177–187; 3:95–102; 7:17–26; 8:147–161
and head-out water immersion 3:177–187
and helium gas (rat) 1:281–290
and liquid ventilation (review) 1:259–269; (cat) 8:75–83
measurement (rat) 10:135–145
and monoamine oxidase activity (rat) 3:131–137
Oxygen poisoning, *see* Oxygen toxicity
Oxygen toxicity
and acetazolamide (rat) 9:15–20
acute toxicity 9:315–319
and blood glucose (mouse) 5:87–93
in chickens and rabbits (chicken, rabbit) 5:1–8
circulatory responses (dog) 10:123–129
enzyme activity (rat) 10:321–329
and endocrine organs (rat) 4:317–323
in exercising divers 6:347–356
and lung damage (guinea pig) 3:283–299
in neonate (chicken) 2:223–227
and phospholipid synthesis (rat) 8:13–21
and pulmonary function 7:149–157
in a saturation diver 9:315–319; 10:265–266
and sodium transport (toad) 4:333–345
Parathyroid, *see* Hormone
Partial pressure
alveolar carbon dioxide 7:17–26
and hydrostatic pressure (review) 9:353–396
liquid-ventilation (dog) 5:341–354; 10:1–10
and operant performance (rat) 1:363–370
and optimizing decompression (rat) 6:231–239
and organ blood flow (rat) 7:47–60
pressure reduction in decompression (rat) 5:119–128; (rat) 5:323–334
Perception
auditory 7:35–46
and the vestibulo-ocular reflex 3:103–112
vision 3:205–216; 6S:163–173; 8:85–100
Performance
in a 17-day dry saturation dive 4:297–305
and cold water 2:75–88; 2:195–213; 4:103–116
and compression rate 9:335–351
and diver temperature 2:75–88
in heliox and trimix 3:205–216; 10:169–192
and hyperbaric He-O_2 1:353–361
left-ventricular, during breathholds 3:351–360
and narcotic potency (mouse) 3:25–34
in a one-atmosphere diving system 9:203–212
operant performance (pigeon) 1:181–188; (rat) 1:363–370
psychological 3:339–349
Perfusion, lung
and exercise 3:95–102
and immersion 3:49–56
and liquid ventilation (cat) 8:229–238
Permeability, membrane
blood-brain (rabbit) 4:117–129; (rabbit) 6:319–328; (rat) 9:233–240
and drug therapy (review) 9:91–111
and hydrostatic pressure (review) 9:353–396
and renal transport (rabbit, rat) 10:157–168
Pharmacology
antiplatelet drugs 2:233–249
antagonistic effects (mouse) 1:59–72; (toad) 4:333–345; (rat) 6:189–196; (crayfish) 6:47–53
antipyretic drugs (rat) 1:83–89; (rat) 5:53–62; 6:127–146
and arrhythmias (cat, mouse, rat) 2:28–34
blood changes (review) 1:117–150
cyproheptadine (mouse) 7:321–329
high pressure neurological syndrome (mouse) 1:59–72; (rat) 6:189–196
interactions (bacteria) 5:189–198; (mollusk) 6:75–91; (bacteria) 7:95–106; (frog) 8:121–126; (review) 9:353–396

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

pharmacodynamics (rat) 1:281–290; (cat) 2:35–41; (squid) 4:19–26; (rat) 9:15–20; (rat) 10:193–201
pharmacokinetics at pressure (rat) 10:193–201
and rate of pressurization (mouse) 6:241–249; 9:335–351
seizure mechanism of O_2 (rat) 6:167–174
and sites of action of pressure (mouse) 8:1–11
system for study 8:69–74
Placenta, *see* Pregnancy
Platelets
and antiplatelet drugs 2:233–249
and aspirin 6:127–146
and asymptomatic divers 8:187–198
and decompression sickness (review) 1:117–150; (rat) 2:167–172
fish blood and decompression (fish) 3:273–281
function (rat) 2:167–172; 6:127–146
kinetics (rat) 4:147–157
and open-sea diving 2:251–265
and saturation diving 2:233–249; 2:251–265
Plethysmography
in a saturation dive 4:267–281
and gas inertia 10:273–279
Posture
and buoyancy 2:161–166
and central nervous system reactions 9:1–14
and ether induction time (rat) 10:343–348
and eustachian tubal function 4:9–18
and the middle ear 1:309–323; 8:219–227
and pulmonary blood volume 10:331–342
Potassium
and hydrostatic pressure (rat) 7:171–181; (review) 9:353–396
and portal vein (rat) 7:171–181
urinary excretion 2:119–131; 6:291–302
Pregnancy
and decompression (sheep) 5:287–292; (sheep) 10:11–15; (sheep) 10:299–309
and scuba diving 7:183–189
and simulated diving (hamster) 9:297–304
Probability
and decompression sickness 1:189–196
Prolactin
in a saturation dive 4:247–265; 6:291–302
Prostaglandin
and plasma volume (dog) 3:157–161
and hyperoxia (dog) 7:113–126; (dog) 8:137–145
Protection
against nitrogen narcosis (rat) 7:11–16
against oxygen seizures (cat, mouse) 5:253–257
Psychological functions
and parotid gland 6:303–307
and performance 3:205–216; 3:339–349; 4:297–305
and scuba 2:11–19
and trimix 9:1–14; 9:335–351
Pulmonary, *see* Lung and Ventilation
Pulmonary diffusing capacity
and blood-lung barrier (rabbit) 4:117–129
and head-out water immersion 3:49–56
and long-term exposure to hyperbaric oxygen 7:149–157
Questionnaire
long submarine missions 6S:175–189
scuba diving and fetal well-being 7:183–189
self-reported work 8:33–39
Receptors
and drug therapy (review) 9:91–111
and He-O_2 saturation (cat) 2:35–41
and naloxone (guinea pig) 10:89–93
Reflex
diving reflex 5:9–14
and ether induction time (rat) 10:343–348
knee-jerk reflex 6:55–74
vestibulo-ocular reflex 3:103–112
Regional blood flow
ambient pressure and oxygen tension (rat) 7:47–60
fetus (sheep) 10:299–309
and hyperoxia 10:123–129
intrathoracic blood pooling 5:71–85
long-bone (dog) 4:169–182
and spinal decompression sickness (dog) 9:185–201
testicular (rat) 5:355–361
Renal, *see* Kidney and Urine
Renin
in a saturation dive 4:247–265
and hyperoxia (dog) 7:113–126; (dog) 8:137–145
Repetitive dives
tables 1:175–179
and vascular bubbles (guinea pig) 2:42–50
and osteonecrosis (mouse) 3:67–83
observations 9:113–129
Respiration
in a 17-day dry saturation dive 4:267–281
and atelectasis 10:39–44
and circadian cycles 6S:81–90
and CO_2 exposure (rat) 1:291–301; (rat) 3:85–94; 6S:91–114; 6S:115–134
CO_2 insensitivity 8:209–217
and cold 5:377–390
diaphragm muscle (rat) 1:291–301
dyspnea 4:183–198
and exercise 3:177–187; 6:259–290; 8:147–161
and gas inertia 10:273–279
gas-phase diffusivities (calculation) 9:175–181
and head-out water immersion 3:49–56; 3:177–187
helium breathing (cat) 4:381–389
and helium elimination 2:277–284; (5 mammals) 4:373–380
and hyperbaric Ar-O_2-CO_2 atmospheres (rat) 3:85–94

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

and hyperbaric oxygen (rat) 9:263–275
hypercapnia 6S:15–47
inert gas (rabbit) 5:149–158
intrathoracic blood pooling 2:133–140
liquid ventilation (review) 1:259–269; (dog) 5:341–354; (cat) 8:75–83; (cat) 8:229–238; (hamster) 10:1–10
and loss of consciousness 5:179–187
and maximal physical-work capacity 4:359–372
and mechanical and physical factors 10:255–264
mechanics 2:1–10
and narcosis 5:391–400
and nitrogen elimination 2:285–297
one-atmosphere diving system 9:203–212
and scuba 10:311–320
static lung loading 6:259–290
and Xe^{133} elimination 3:163–169
Resuscitation
cardiopulmonary resuscitation in the water 7:141–148
in-water (letter) 8:63; (letter) 8:64–65; (letter) 8:65–66
Review
anesthesia and pressure 1:1–28; 9:353–396
calcium metabolism in submariners 6S:71–80
carbon dioxide and submariners 6S:71–80
decompression sickness and blood 1:117–150
decompression sickness and drug therapy 9:91–111; 9:161–174
electrolytes and decompression sickness 1:117–150
gas/pressure interactions 9:353–396
helium and the high pressure neurological syndrome 1:1–28
helium interaction with other gases 9:353–396
high pressure neurological syndrome 1:1–28
hormones and decompression 1:117–150; 9:161–174
hydrostatic pressure and high pressure neurological syndrome 1:1–28
liquid breathing 1:259–269
membrane permeability and hydrostatic pressure 9:353–396
receptors and drug therapy 9:91–111
solubility of inert gases 7:277–296
therapy for decompression sickness 9:91–111
vestibular decompression sickness 1:73–81
Rewarming
and performance 2:75–88
and venous gas bubbles 8:41–49
Saturation dives
17-day dry saturation dive 4:211–220; 4:221–246; 4:247–265; 4:267–281; 4:283–296; 4:297–305; 4:307–314
acute oxygen toxicity 9:315–319; 10:265–266
adaptability of divers 5:259–273
and antiplatelet drugs 2:233–249
blood changes 1:197–201
cardiopulmonary functions 4:267–281
cardiovascular and thermoregulatory functions 2:101–118
cognitive performance 4:297–305
critical flicker frequency 3:235–247
decompression sickness 3:387–398
energy balance 4:221–246
fluid balance 4:247–265
heat balance 9:321–333
hematology and blood chemistry 2:233–249; 2:251–265; 6:127–146
maximal oxygen uptake 4:283–296
mood and fatigue 3:235–247; 5:109–117
neuromuscular function (cat) 2:35–41
personality changes 4:297–305
and platelets 6:127–146
sensations 4:307–314
sleep 5:109–117
tables for excursions 5:159–177
thermoregulation 9:321–333
urinary excretion 2:119–131; 6:291–302
visual evoked responses 4:131–145
Scuba
and aerophagia 2:155–160
and fetal well-being 7:183–189
and heart rate 2:11–19
resuscitation 7:141–148; (letter) 8:63; (letter) 8:64–65; (letter) 8:65–66
and ventilation 10:311–320
Sinus node
beating frequency (mouse) 6:27–39
and rate of pressure change (mouse) 6:241–249
Skin
antisepsis 10:115–122
color in O_2 (rabbit) 2:68–69
diseases 6S:217–246
disinfection 8:239–243
and inert gas (^{133}xenon) exchange (rabbit) 5:149-158
long-duration, cold water exposure 2:75–88
performance and temperature 2:75–88; 4:103–116
regional skin temperatures 9:59–74
temperature in hyperbaric oxyhelium 5:213–231; 10:29–37
temperature 7:225–239; 9:59–74
thermal flux transducer errors 9:213–231
Sleep
and a 14-day He-O_2 open-sea saturation dive 5:109–117
and circadian cycles 6S:81–90
and diazepam (guinea pig) 7:1–9
ketamine and thiopental (guinea pig) 6:329–338
Smoking
in a saturation dive 1:197–201; 4:267–281
in submariners 6S:49–56; 6S:201–215

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Sodium
and decompression sickness (review) 1:117–150
inhibition of transport (toad) 4:333–345
and renin release during hyperoxia (dog) 8:137–145
urinary excretion 2:119–131; 6:291–302
Solubility
of CO_2 in fluorocarbon emulsion 3:113–120
of helium, argon, and sulfur hexafluoride in blood 7:297–304
of inert gases in biological fluids (review) 7:277–296
measurement of total dissolved gas pressure 2:141–149
of oxygen in sea water 6:147–154
Sound
helium elimination and high-intensity sound (5 mammals) 4:373–380
joint crepitation 4:89–94
sound localization 2:173–184
speed in gases 2:305–310
ultrasound for bubble detection 3:121–130; 10:17–22
Speech
and gas density (calculation) 2:305–310
intelligibility 4:199–207; 7:265–275
Spermatogenesis
in helium-oxygen 2:51–67
Spinal cord
and complex diving accident 6:209–216
and decompression sickness (goat) 5:275–286; (model) 9:185–201
lesions (goat) 5:275–286
transections and O_2 (rat) 7:305–320
Spirometry
and dyspnea in divers 4:183–198
and gas inertia 10:273–279
and liquid ventilation (cat) 8:75–83
maximum expiratory flow 6:339–346
and pulmonary atelectasis 10:39–44
of scuba divers 10:311–320
Sport
surfing 5:377–390
Steroid
and decompression (mouse) 6:155–166
Submariners
attitude changes 6S:175–189
biochemical and hematologic profiles 6S:191–199
calcium metabolism (review) 6S:71–80
calcium and electrolytes 6S:57–70
cardiovascular risk factors 6S:201–215
circadian cycles 6S:81–90
elevated carbon monoxide 6S:49–56
health data 6S:217–246
and hypercapnia 6S:15–47
vision 6S:163–173
Suit
wet suit diving (Korean diving women) 10:203–215
Superoxide dismutase
pulmonary oxygen toxicity (chickens, rabbits) 5:1–8
Surfactant
and liquid breathing (review) 1:259–269
Surgery
corneal incision healing 5:369–375
and eustachian tube dysfunction 9:37–43
Susceptibility
of lung after elastase exposure (hamster) 9:21–35
of fetus to decompression sickness (sheep) 5:287–292
Synapse
and helium pressure (squid) 4:19–26
and hydrostatic pressure (*Aplysia*) 8:175–183
and neuromuscular function (frog) 5:199–208
Teeth
barodontalgia (rat) 10:23–28
Telemetry
acoustic 1:99–109
temperature 2:75–88
Temperature
in a 17-day dry saturation dive 4:221–246
in a 4-day saturation dive 9:321–333
of brain and rectum (guinea pig) 7:27–34
and cardiac conduction (dog) 7:211–223
and circadian cycles 6S:81–90
and face immersion 4:27–37
and gas solubility (review) 7:277–296
and head-out immersion 5:37–52
in helium-oxygen 2:51–67; 2:101–118; 7:225–239; 9:81–90
and high pressure nervous syndrome (review) 1:1–28; (rat) 3:139–150
and higher-order tasks 4:103–116
and hyperbaric helium-oxygen environments 5:213–231
long-duration cold water exposure 2:75–88
and maximal cycling exercise 3:177–187
mean skin temperature 9:59–74; 10:29–37
and a one-atmosphere diving system 9:203–212
and performance 2:75–88; 2:195–213; 4:103–116; 9:203–212
and pulmonary capillary blood volume 10:331–342
regional skin temperature predictions 9:59–74
and salicylate (rat) 1:83–89
in surfers 5:377–390
thermal flux transducers 7:249–256; 9:213–231
and tolerance to cold 9:81–90
and venous gas bubble production 8:41–49
Testosterone
and helium-oxygen 2:51–67
testicular blood flow (rat) 5:355–361

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Therapy
aspirin and helium-oxygen (rat) 5:53–62
and cardiac arrhythmias (cat) 4:381–389
for cerebral air embolism 9:75–80; 9:283–296
and a complex diving accident 6:209–216
for decompression sickness (review) 9:91–111; (review) 9:161–174
and deep excursion dives 7:127–139
for delayed cerebral edema 9:283–296
for eustachian tube dysfunction 9:37–43
lithium and narcosis (rat) 7:11–16
naloxone and beta-endorphin (guinea pig) 10:89–93
premature ventricular beats 6:313–318
reversal of nitrogen narcosis (rat) 3:249–259
for spinal cord transections (rat) 7:305–320
sulfonamides and O_2 (fish) 7:95–106
Thermoregulation, *see* Cold, Heat, and Temperature
Thiopental
and electroencephalogram burst suppression (rat) 9:255–261
interactions with pressure (frog) 8:121–126
and sleep (guinea pig) 6:329–338
Thrombocytes
and decompression 3:273–281
and diving (rat) 4:147–157
Tissue
adipose 6S:201–215
chamber for tissue studies and decompression 2:185–194; 8:51–58
mechanical properties 2:185–194
single-tissue modeling of decompression 6:217–229
and solubility of gases (review) 7:277–296
Xe^{133} elimination from human fat 3:163–169
Toxicity
acetazoiamide and hyperoxia (rat) 9:15–20
bacteremia and endotoxemia (mouse) 4:67–73
blood-brain barrier permeability and drugs (rat) 9:233–240
cyanide intoxication (rabbit) 7:191–197
endocrine organs (rat) 4:317–323
intermittent hyperoxia 7:149–157
magnesium ions and hyperoxia (chicken) 2:223–227
narcotic potency (mouse) 3:25–34
oxygen 9:315–319; 10:265–266
phospholipid synthesis and hyperoxia (rat) 8:13–21
prolonged oxygen exposures 6:347–356
pulmonary oxygen toxicity (chicken and rabbit) 5:1–8
respiratory behavior in hyperoxia (rat) 3:85–94
sodium transport in hyperoxia (toad) 4:333–345
Tremor
antagonism of high pressure neurological syndrome (mouse) 1:59–72
cause (review) 1:1–28
and colonic temperature (rat) 3:139–150
and compression rate 9:335–351
in heliox and trimix dives 1:221–237; 7:77–94; 9:1–14; 10:169–192
intentional tremor 2:215–222
measurement and analysis (guinea pig) 5:301–307
and naloxone (guinea pig) 10:89–93
quantification (guinea pig) 5:95–104
and rapid compressions 7:77–94
and repeated exposures (mouse) 1:239–250
and small mammal (mouse) 4:1–8
and time pattern (mouse) 10:281–298
tremor power spectra (guinea pig) 5:335–340
and trimix 9:335–351; 10:169–192
Tribonucleation
and mechanical properties of tissue 2:185–194
Trimix
advantages (rat) 5:233–242
and compression rate (rat) 5:233–242; 8:85–100; 9:335–351
and heliox 9:1–14; 10:169–192
Tympanic membrane
during immersion 4:9–18
and tubal function 4:9–18
Ultrasonic
circulating bubbles 6:99–107
heart rate measurement 2:11–19
imaging system 6:197–207
indicator of bubble content 10:17–22
isobaric counter-equilibration (goat) 6:109–125
monitoring (goat) 3:121–130; 10:217–224
Ultrastructure
hyperoxic lungs (guinea pig) 3:283–299; (guinea pig) 6S:155–161
pneumocyte II cells (guinea pig) 6S:135–142
semicircular canal (monkey) 10:225–240
spinal cord (rat) 7:305–320
Urine
antidiuresis (dog) 7:113–126
and CO_2 exposure 6S:91–114
and decompression (review) 1:117–150
and hyperuria (dog) 8:137–145
immersion 5:37–52
in saturation dives 2:101–118; 2:119–131; 4:221–246; 4:247–265; 6:291–302; 9:321–333
of submariners (review) 6S:71–80; 6S:191–199
Vasoconstriction
and pulmonary capillary blood volume 10:331–342
and venous gas bubble production 8:41–49
Vasopressin
and dry saturation dives 2:119–131; 4:247–265
and head-out immersion 5:37–52
and hyperoxia (dog) 7:113–126
and open-sea saturation diving 6:291–302
and sodium transport (toad) 4:333–345

Where an experimental animal or a particular circumstance is not indicated, the study involved human subjects.

Ventilation
and breathing apparatus 3:217–234
effects of CO_2 sensitivity 8:209–217
and exercise 1:45–58; 3:95–102; 3:177–187; 4:359–372; 10:241–254
and hypercapnia 5:391–400; 6S:91–114; 7:17–26; 7:61–74
and immersion 3:49–56; 3:177–187; 10:311–320
and loss of consciousness 5:179–187
with liquid (dog) 5:341–354; (cat) 8:75–83; (cat) 8:229–238
measurement (rat) 10:135–145; 10:273–279
in scuba divers 10:311–320
and static lung loading 6:259–290
Vertigo
and circulating bubbles 6:99–107
direction of apparent movement 3:403–410
epidemiologic study 1:251–258
eustachian tubes 1:343–351
high pressure nervous syndrome (review) 1:1–28
history of vestibular disorders (review) 1:73–81
middle ear barotrauma 2:311–314
Vestibular
history of vestibular disorders in diving (review) 1:73–81
postural equilibrium 1:309–323
vestibulo-ocular reflex 3:103–112
Vision
in a 17-day dry saturation dive 4:307–314
polarizing filters 1:371–378
in submariners 6S:163–173
and visual evoked responses 4:131–145
Vital capacity
and increased gas density 2:1–10
and intrathoracic blood pooling 2:133–140
and pulmonary atelectasis 10:39–44
in scuba divers 10:311–320
in wet suit diving 10:203–215
Vitamin
nicotinic acid and plasma volume (dog) 3:157–161
vitamin D, CO_2, and calcium (review) 6S:71–80
Work
and lung function 10:255–264
maximal work capacity 4:359–372
and oxygen toxicity 9:315–319; 10:265–266
and oxygen uptake 10:77–87
and pulmonary mechanics 2:1–10
self-reported work experience 8:33–39
and wet suit diving (Korean women divers) 10:203–215


1.0
1.1
1.25
1.4
1.6
2.8
2.5
3.2
2.2
3.6
2.0
4.0
1.8